



# Primip 13/03/2025

## Adresa

Primip d.o.o.  
Parobrodska 37  
22000 Sremska Mitrovica  
Srbija

## Telefon

Telefon  
022/623-386  
022/626-933  
022/662-249 (stovarište)

## E-mail

primip@mts.rs

- **Odobravamo rabat u zavisnosti od količine kupljene robe**
- **Na sve komade cevi čije su dužine manje od 1m odobravamo dodatni rabat od 10%**

## Bešavne cevi - PRECIZNE

Proizvod	Količina	JM	Opis
Cev beš.prec. 10,0 x 1,0 E235+C	116.5	kg	3mx176
Cev beš.prec. 10,0 x 1,0 E355+C	94.0	kg	3,01mx131
Cev beš.prec. 10,0 x 1,0 P265TR1	33.8	kg	6mx25+2m
Cev beš.prec. 10,0 x 1,5 11 453.1	71.0	kg	6mx30+3m+4m
Cev beš.prec. 10,0 x 1,5 11353.1	66.0	kg	4mx52m+1mx3+2,08m+2,5m+2,09m-kriva
Cev beš.prec. 10,0 x 2,0 E235+C	83.5	kg	5,3mx40+1,26m
Cev beš.prec. 10,0 x 3,0 E235+N	189.0	kg	6,01mx51
Cev beš.prec. 100,0 x 3,0 E355+C	410.0	kg	2,95mx18++1,44m+0,94m+0,63m
Cev beš.prec. 103,0 x 6,5 C35E+C	684.5	kg	5,62mx7+3.7m
Cev beš.prec. 12,0 x 1,0 E355+N	147.3	kg	6mx90+4m
Cev beš.prec. 12,0 x 1,65 SA-179 ASME*	323.9	kg	8,2mx77+2,19mx2+4,18m+6,7m+5,19m+1,1m+1,6
Cev beš.prec. 12,0 x 2,0 E355+N	155.0	kg	6,01mx51+3m
Cev beš.prec. 120,0 x 10,0 E235+C	411.0	kg	3,4mx4+1,39m
Cev beš.prec. 120,0 x 4,0 E355+C	399.0	kg	3mx11+1m
Cev beš.prec. 13,0 x 2,0 Č.1212	30.0	kg	oko 3,2mx20-krive+1,4m
Cev beš.prec. 14,0 x 1,2 E235+N	124.0	kg	3,04mx108
Cev beš.prec. 14,0 x 1,8 E235+C	439.5	kg	6mx137+3m
Cev beš.prec. 14,0 x 2,0 E235+N	499.0	kg	3,5mx234+0,49m
Cev beš.prec. 14,0 x 2,93 E235+N	23.0	kg	3mx2+1m
Cev beš.prec. 14,0 x 3,0 E235+C	95.5	kg	6,05mx19+3m
Cev beš.prec. 15,88 x 2,11 Grade A-1 ASTM A	236.5	kg	L=6,65mx64+4,64m
Cev beš.prec. 15,88 x 2,41 ASME SA-179	203.0	kg	L=7,1mx35kom
Cev beš.prec. 16,0 x 1,5 Č.1212	89.0	kg	1,5m-5,5mxn-zid 1,75
Cev beš.prec. 16,0 x 1,5 St35NBK	152.0	kg	6m x 46+5m*+3m
Cev beš.prec. 16,0 x 1,8 P265GH+N	1.3	kg	0,985+0,99m
Cev beš.prec. 16,0 x 2,0 E235+N	100.5	kg	6mx23+2m
Cev beš.prec. 16,0 x 2,0 St52.4	2.0	kg	1,04mx2+0,5-zid 2,2mm
Cev beš.prec. 16,0 x 3,0 E235+N	145.0	kg	4,09mx37
cev beš.prec. 17,0 x 2,3 P235TR2	167.5	kg	6mx33+3m
Cev beš.prec. 17,0 x 4,0 E235+C	136.0	kg	3,01mx35
Cev beš.prec. 18,0 x 1,0 St35NBK	172.3	kg	6,5m x 60+3,5mx3+2,79m+6m
Cev beš.prec. 18,0 x 1,2 St35NBK	14.5	kg	2,96m+2,8m+3m+4,65m+5,99m+5,98m-kriva
Cev beš.prec. 18,0 x 1,5 P235GH-TC1	131.9	kg	5x11 kom+5mx20kom+6,5mx5+1,1mx2+1,42m+1m
Cev beš.prec. 18,0 x 1,62 15 130 TDP	50.0	kg	6mx13
Cev beš.prec. 18,0 x 2,0 E355+C	237.5	kg	6,05mx48+4,5m+3,5m

<b>Proizvod</b>	<b>Količina</b>	<b>JM</b>	<b>Opis</b>
Cev beš.prec. 18,0 x 3,0 E235+C	402.0	kg	6,1mx59
Cev beš.prec. 18,0 x 4,0 P235TR2+N	102.1	kg	3,01mx24
Cev beš.prec. 20,0 x 1,5 25CrMo4+N	345.9	kg	6mx84+3m-k
Cev beš.prec. 20,0 x 2,0 15 130 CSN	52.5	kg	6mx7+2,92mx4
Cev beš.prec. 20,0 x 2,0 16Mo3+N	421.0	kg	6,01mx79
Cev beš.prec. 20,0 x 2,0 P355NH	60.0	kg	4,02mx15+3m+0,8m
Cev beš.prec. 20,0 x 2,0 SA-179	1.0	kg	1,06m
Cev beš.prec. 20,0 x 2,0 St35NBK	3.0	kg	3m
Cev beš.prec. 20,0 x 2,2 E235+C	508.0	kg	6,17mx84+3,15m
Cev beš.prec. 20,0 x 4,0 E235+C	594.9	kg	6mx62+2m+1m
Cev beš.prec. 20,3 x 1,9 E235	4.0	kg	3m+1,63m
Cev beš.prec. 20,5 x 5,25 E235+C	150.0	kg	1m+3mx20+1,8m
Cev beš.prec. 21,3 x 2,3 St52.0	56.5	kg	5,36mx3
Cev beš.prec. 21,3 x 3,2 P235GH+N	292.0	kg	6,14mx33+3m
Cev beš.prec. 210,0 x 15,0 E355 SR	841.0	kg	3,035m+9,58m
Cev beš.prec. 22,0 x 1,0 St35NBK	1,215.5	kg	6,5m-7m x 335*+4mx2+3m
Cev beš.prec. 22,0 x 2,0 Č.3100	602.0	kg	6 mx12+3m+6mx3-krive+6mx61+4mx4+2,37m+2,9
Cev beš.prec. 22,0 x 3,0 E235+C	419.7	kg	6mx48+3,88m
Cev beš.prec. 22,0 x 4,0 St35BK	882.0	kg	6,5 x82kom+0,48m+0,62+3,25mx4+1,2m+5m
Cev beš.prec. 22,4 x 6,2 E355+SR	242.5	kg	6,95mx13+0,74m+0,34m+5,57m
Cev beš.prec. 24,0 x 3,7 Č.3100	83.5	kg	6mx5+4,5m+5m+1,56m
Cev beš.prec. 24,0 x 5,75 St52-3 BK	133.0	kg	3,5mx14+0,48m+2,4m
Cev beš.prec. 25,0 x 2,0 St35 BK	8.0	kg	6,3m-kriva+0,37mx1
Cev beš.prec. 25,0 x 2,5 E235 + N	495.0	kg	6,5mx29**5m+0,5mx6*+6,5mx25*+0,68m*
Cev beš.prec. 25,0 x 4,0 E355+C	2.0	kg	0,97m
Cev beš.prec. 25,4 x 2,11 GRADE 6 ASTMA A	82.5	kg	0,79m x67 + 0,53m x 26*
Cev beš.prec. 25,4 x 2,11 GRADE C ASTMA A	178.0	kg	1,18mx23+2,63mx23+0,58mx109+0,49mx8*
Cev beš.prec. 25,4 x 3,05 17Cr3	500.0	kg	6mx48+2m
Cev beš.prec. 25,4 x 3,05 E235+N	81.2	kg	L=6mx4+4m+0,74m
Cev beš.prec. 26,0 x 3,0 ZP 160-EK2+N	144.5	kg	4,08mx20+1,05m+1,7m
Cev beš.prec. 26,0 x 5,0 E235+C	446.0	kg	6,09mx28
Cev beš.prec. 28,0 x 1,0 E235+N	367.0	kg	6mx85+4,5m+1,38m+1,41m+2,23m+1,6m+3m
Cev beš.prec. 28,0 x 1,0 St35NBK	28.0	kg	3,5m+0,96m+5,3mx7
Cev beš.prec. 28,0 x 2,0 E235+C	137.3	kg	5mx2+2,85m+2,34m+2,65m+4,1m+2,36m+1m+6m
Cev beš.prec. 28,0 x 6,0 E235+C	370.0	kg	5,81mx2+0,65m+6,25mx16
Cev beš.prec. 30,0 x 1,5 25CrMo4+N	217.0	kg	6mx31+3m+2m
cev beš.prec. 30,0 x 2,5 P235GH+N	1,000.4	kg	6,07mx89+4,56m+2,34m
Cev beš.prec. 32,0 x 1,0 E235+N	10.5	kg	6mx2+1m
Cev beš.prec. 32,0 x 2,0 St35BK	720.5	kg	6,49mx69+3m+1,27mx2+1,23m+0,74m+0,46m+0,4
Cev beš.prec. 32,0 x 3,5 C10	112.5	kg	3,07mx10+2m+1,25m+2m+1,5m+0,66mx2+0,55mx
Cev beš.prec. 32,0 x 4,0 20 GOST 1050	471.5	kg	(6-7,5m) x 12+4,5m+1,99m+2,92m+5mx3+6-6,9mx
Cev beš.prec. 32,0 x 4,5 St52NBK	30.0	kg	6,07m+1,65m+2,54m
Cev beš.prec. 32,0 x 5,0 12ChMFTU	17.0	kg	3,08m+1,02m+0,71m
Cev beš.prec. 32,0 x 6,3 12022.1	489.5	kg	6,09mx19+5,08m
Cev beš.prec. 32,0 x 8,0 E355+C	100.5	kg	6,1mx3+4,09m
Cev beš.prec. 34,0 x 5,0 C55E+N	271.0	kg	3,07mx24+1,05m
Cev beš.prec. 35,0 x 2,0 E235+N	1,119.9	kg	6,97x92+2,91mx3+2,14m+1,74m+0,7m+1m+0,91m
Cev beš.prec. 35,0 x 6,0 C55E+N	261.0	kg	3,07mx19
Cev beš.prec. 35,0 x 7,5 E235+N	352.3	kg	3,07mx21+2m+1,55m

<b>Proizvod</b>	<b>Količina</b>	<b>JM</b>	<b>Opis</b>
Cev beš.prec. 36,0 x 4,0 16MnCr5	135.0	kg	3mx14+2m
Cev beš.prec. 36,0 x 6,0 E255+N	6.5	kg	1,46m
Cev beš.prec. 37,0 x 4,75 E355	497.0	kg	L=9,65mx11+0,6m+0,95m+3,47m-spoljni precnik 3
Cev beš.prec. 37,0 x 5,0 E355	162.5	kg	3,07mx11+2,05m+1,06m+1,06m
Cev beš.prec. 38,0 x 5,0 E355+C	412.2	kg	3,08mx33
Cev beš.prec. 38,0 x 5,0 P355NL1	3.5	kg	0,85m-kriva
cev beš.prec. 38,0 x 6,0 E255+N	343.5	kg	6,05mx12+4,74m+2m
Cev beš.prec. 40,0 x 1,0 235+N	169.5	kg	6,4mx27
Cev beš.prec. 40,0 x 2,0 25CrMo4+N	358.0	kg	6,07mx16+4m
Cev beš.prec. 40,0 x 4,0 E355+N	45.0	kg	6,07m+1,5m
Cev beš.prec. 40,0 x 6,4 E235+C	82.5	kg	3,25mx5+1m
Cev beš.prec. 40,0 x 8,0 8Mn45	449.5	kg	oko 4,4mx11+oko3m+1,89m+oko 1,4m
Cev beš.prec. 40,5 x 6,25 E355+N	63.5	kg	3mx3+1m+1,5m
Cev beš.prec. 41,0 x 6,0 C55E+N	202.0	kg	6mx6+0,58m
Cev beš.prec. 42,0 x 1,0 E235+N	368.0	kg	3,08mx117
Cev beš.prec. 42,0 x 4,0 E255+N	108.5	kg	6mx4+5m+3m
Cev beš.prec. 42,0 x 6,0 20 GOST	92.0	kg	4,02mx4+0,46m
Cev beš.prec. 42,0 x 6,3 12022	141.5	kg	3,08mx8+0,77m+1,87m
Cev beš.prec. 42,4 x 2,5St35NBK	1,422.5	kg	6m xn+1,4m+1,17m*
Cev beš.prec. 44,5 x 4,0 E355+N	102.5	kg	6mx4+2,14m
Cev beš.prec. 44,7 x 7,25 16MnCr5	330.0	kg	3,75mx12+1m
Cev beš.prec. 46,0 x 2,5 CK 35	67.5	kg	3,08mx8+1,94m
Cev beš.prec. 46,0 x 5,75 C55E+C	322.0	kg	3,07mx16+1m
Cev beš.prec. 47,0 x 6,5 16MnCr5+C	303.0	kg	L=3,05mx14
Cev beš.prec. 48,0 x 2,5 25CrMo4	153.0	kg	3,42mx12kom+1,41m+1,3m+1,41m+2m+1,9m+0,8
Cev beš.prec. 48,0 x 3,0 E235+C	271.5	kg	3,08mx26+0,18m+0, 5m
Cev beš.prec. 48,0 x 6,0 12022.1	171.5	kg	6mx4+3m
Cev beš.prec. 48,3 x 5,9 S275JR	508.0	kg	5,4mx14+5,25m
Cev beš.prec. 50,0 x 1,5 E355+C	196.2	kg	8,05mx13+7,04m
Cev beš.prec. 50,0 x 2,0 25CrMo4	397.0	kg	6,19mx26+3,61m
Cev beš.prec. 50,0 x 8,0 P460NH	172.5	kg	6mx3+1,68m+0,54m
Cev beš.prec. 50,4 x 10,2 C60 NBK	445.5	kg	1,27m+5,78m+0,41m+ 6,49mx5+2,3m
Cev beš.prec. 51,0 x 3,2 E355+C	7.0	kg	0,86mx2+0,54m
Cev beš.prec. 52,0 x 6,0 C35E+C	338.0	kg	3,06mx16
Cev beš.prec. 52,0 x 8,0 C55E+N	6.0	kg	0,81m
Cev beš.prec. 53,0 x 3,0 E355+C	174.5	kg	6mx8+0,91m
Cev beš.prec. 55,0 x 10,0 C60E+N	339.4	kg	3,05mx6+2,54m+2,89m+2,5m+2,04mx2
Cev beš.prec. 55,0 x 7,35 E355+C	471.5	kg	1,47m+3,09mx13+1,82m+1,36mx2
Cev beš.prec. 57,0 x 5,0 E235+C	231.2	kg	4mx8+2,5m
Cev beš.prec. 58,0 x 5,0 E355+C	359.0	kg	6,24mx8+3,97m
Cev beš.prec. 58,0 x 5,0 E355+N	235.0	kg	6,4mx4+0,36m+2,52m+0,77mx2+0,79m
Cev beš.prec. 6,0 x 2,25 St30SiNBK	115.3	kg	L=6,07mx90+3,06m++2,05m
Cev beš.prec. 60,0 x 3,0 E355+C	207.5	kg	3mx16+1m
Cev beš.prec. 60,0 x 6,5 St52-3	247.0	kg	3,24mx9
Cev beš.prec. 60,0 x 6,5 St52-3 GKB	118.5	kg	L=3,09m+0,37m+0,79m+1,73m+0,68m+0,4m
Cev beš.prec. 62,0 x 7,0 P460+N	10.1	kg	1,19m
Cev beš.prec. 62,0 x 8,0 C55NBK	197.5	kg	L=5,9m+4,18m+0,76m+0,78m+0,89m
Cev beš.prec. 65,0 x 1,5 St35	238.0	kg	6,5mx15+1,98m
Cev beš.prec. 66,0 x 10,0 16MnCr5	432.5	kg	3,09mx10+2,6m+0,43m

<b>Proizvod</b>	<b>Količina</b>	<b>JM</b>	<b>Opis</b>
Cev beš.prec. 7,94 x 0,91 ASTM A 179	19.1	kg	oko 6m x n
Cev beš.prec. 70,0 x 5,0 E355+C	5.5	kg	
Cev beš.prec. 71,0 x 10,0 C45E+C	136.0	kg	3mx3
Cev beš.prec. 71,0 x 6,0 C60NBK	728.0	kg	6,06mx10+1,5m+1,21m
Cev beš.prec. 73,0 x 5,0 E235+C	209.0	kg	6mx4+0,51m+0,86m
Cev beš.prec. 74,5 x 8,25 25MnCr6	310.0	kg	6mx3+3,49m+0,425m
Cev beš.prec. 75,0 x 10,75 16MnCr5	691.0	kg	5,6mx5+0,64m
Cev beš.prec. 76,0 x 11,25 C45E	253.5	kg	3mx4+1m
Cev beš.prec. 76,0 x 7,0 P235TR2+N	392.0	kg	3,07mx11+1,8m
Cev beš.prec. 76,1 x 3,6 W.Nr.1.4541	112.0	kg	6x2kom+5,58m-prohrom
Cev beš.prec. 76,1 x 5,0 16Mo3-TC2+N	8.0	kg	0,52m+0,39m
Cev beš.prec. 8,0 x 1,5 12 022.1	67.8	kg	3,15mx76+2,m+2,5m
Cev beš.prec. 8,0 x 1,75 E235+C	14.7	kg	6,2m-6,5mx7+3m-kriva+1m+3,79m
Cev beš.prec. 80,0 x 10,0 E255+N	299.0	kg	6m+5,37m+5,54m
Cev beš.prec. 80,0 x 5,0 E355+C	87.5	kg	3mx2+0,86m
Cev beš.prec. 80,8 x 11,9 C60NBK	278.0	kg	5,5mx2+2,47m+0,46m
Cev beš.prec. 81,0 x 8,5 St52-3	140.0	kg	3mx2+0,9m
Cev beš.prec. 85,0 x 8,75 20MnCr5+N	320.0	kg	6mx3
Cev beš.prec. 86,0 x 6,0 C45E	212.5	kg	5,6mx2+3,59m+1,6m
Cev beš.prec. 9,5 x 1,25 Č.1212	595.0	kg	(4-5m) x n
Cev beš.prec. 95,0 x 7,5 E355+C	8.5	kg	0,52m

**Bešavne cevi - KOTLOVSKE**

<b>Proizvod</b>	<b>Količina</b>	<b>JM</b>	<b>Opis</b>
Cev beš.kot. 101,6 x 11,0 P235GH	152.0	kg	5m+1,13m
Cev beš.kot. 101,6 x 12,5 13CrMo4-5	409.0	kg	6mx2+3.03m
Cev beš.kot. 101,6 x 7,1,0 13CrMo4-5	468.0	kg	7,2mx4+3,48m
Cev beš.kot. 108,0 x 4,5 P235GH+N	981.0	kg	6mx12+4,94m+0,95m+0,88m
Cev beš.kot. 108,0 x 8,0 10CrMo9	514.0	kg	L=6,06mx3+1,52m+5,51m
Cev beš.kot. 114,3 x 5,6 P235 GH	21.5	kg	1,42m
Cev beš.kot. 114,3 x 6,3 16Mo3	241.0	kg	4.38m+5,47+4,48m
Cev beš.kot. 114,3 x 6,3 P235GH	267.5	kg	6,07mx2+1,65m+1,14m+0,55m+0,77m+3,06m
Cev beš.kot. 121,0 x 5,0 P235GH	115.0	kg	1,28m+6,12m
Cev beš.kot. 127 x 8,0 P235GH	336.0	kg	1,98m+6,02m+5,2m
Cev beš.kot. 133,0 x 13,0 12ChMF	33.0	kg	0,85m
Cev beš.kot. 133,0 x 4,0 P235GHTC1	1,215.5	kg	6,05mx15+1,1m+0,42m
Cev beš.kot. 133,0 x 4,5 34CrMo4	613.0	kg	4,460m-4,48mx9+2,03m
Cev beš.kot. 139,7 x 4,0 P265GHTC2	4.0	kg	0,29m
Cev beš.kot. 159,0 x 5,0 P265GHTC1	18.0	kg	1,02m
Cev beš.kot. 16,0 x 2,3 13CrMo4-5	461.0	kg	7,6mx78+5,58m-kriva
Cev beš.kot. 168,3 x 7,1 16Mo3	910.0	kg	9,04mx2+4,3m+0,21m+3,68m+3,05m+1,28m
Cev beš.kot. 17,1 x 3,2 GRADE B ASTM A	390.5	kg	6,4mx53+2,35m
Cev beš.kot. 18,0 x 2,0 St35.8/I NBK	69.0	kg	3,47mx19+2,47m+1,415m+1,99m+2,24m
Cev beš.kot. 21,3 x 2,77 Grade B ASME	138.0	kg	6,06mx16+4,04m
Cev beš.kot. 21,3 x 3,2 P265GH+N	219.0	kg	6,08mx20+2mx2+1,06m
Cev beš.kot. 21,3 x 3,6 16Mo3	245.5	kg	6,18mx23+0,59m
Cev beš.kot. 21,3 x 3,6 P235GH/TC1	64.4	kg	6mx6+2,53m+1,12m
Cev beš.kot. 21,3 x 4,0 P235GH+N	742.0	kg	6,09mx66+2m
Cev beš.kot. 219,1 x 6,3 P235GH	196.0	kg	5,74m
Cev beš.kot. 219,1 x 6,3 P265GH	16.0	kg	0,46m
Cev beš.kot. 25,0 x 2,3 P235GH	8.5	kg	4,17m+2m
Cev beš.kot. 25,4 x 2,11 P235GH+N	18.0	kg	6m+3m+1,17m+0,49mx10+0,59m
Cev beš.kot. 25,4 x 3,4 ASTM A GRAD 6	2.5	kg	1,4m
Cev beš.kot. 26,7 x 7,82 Gr.B	404.0	kg	7,45mx11+6,44m+2,61m+0,48m+7mx2+0,92m+0,5
Cev beš.kot. 267,0 x 12,5 P265GHTC1	299.0	kg	3,38m
Cev beš.kot. 273,0 x 28,0 16Mo3TC2	3,853.0	kg	L=6,63mx3+2,43m
Cev beš.kot. 28,0 x 4,0 P265GH	205.5	kg	6mx19+3m+5,75m
Cev beš.kot. 30,0 x 3,5 Č.4578	11.0	kg	2,44m+0,99m+1m
Cev beš.kot. 31,8 x 3,6 14MoV6	112.0	kg	6mx6kom+4m+3m
Cev beš.kot. 31,8 x 3,6 GRADE T12(13CrMo4-5	340.5	kg	6,05x5kom++5,82x20kom+1,82mx2+0,8m+2,82m
Cev beš.kot. 31,8 x 4,5 16Mo3	1,564.5	kg	6x44kom+(5,91-5,95)x43kom
Cev beš.kot. 31,8 x 5,0 10CrMo9-10	413.5	kg	6x20kom+2,36m
Cev beš.kot. 31,8 x 7,1 10CrMo9-10	73.0	kg	L=6,09m+1,33mx4+0,315m+3,4m
Cev beš.kot. 32,0 x 6,0 12Ch1MF	449.0	kg	6mx12+4,39m+3,85mx10+0,84m
Cev beš.kot. 33,4 x 3,38 ZP16Mn52NS	141.0	kg	6,02x4kom+5,44mx3+3,04m+1m+3,2m+2,45m+0,5
Cev beš.kot. 33,7 x 2,3 P235GH	10.0	kg	3,36m+1,52m
Cev beš.kot. 34,0 x 3,5 Č.4578	127.5	kg	6,96mx4+6,74mx2+1,56m+6,3m
Cev beš.kot. 35,0 x 5,0 13CrMo4-5	739.8	kg	7,11mx31+1,6m+1,14m
Cev beš.kot. 35,0 x 7,1 14MoV6	948.0	kg	7,3mx24+0,98m+5.29m
Cev beš.kot. 355,6 x 11,16 Gr.B ASTM A 106	371.0	kg	L=3,87m
Cev beš.kot. 355,6 x 8,8 P235GHTC1	2,666.0	kg	(6,01-6,08)x5+1,94m+1,79m+0,93m+1.995m-zid 9-

Proizvod	Količina	JM	Opis
Cev beš.kot. 38,0 x 3,2 10CrMo9-10	970.9	kg	6,05mx27+0,9m+6,05mx13+6,05mx16+4,34m+1,4
Cev beš.kot. 38,0 x 3,6 P265GH	286.5	kg	6,09mx15+1,5mx4+1m
Cev beš.kot. 38,0 x 4,0 10CrMo9-10	296.5	kg	0,8m+0,35m+5,13m+4,84m+5,26m+6,05m+5,59m
Cev beš.kot. 38,0 x 4,0 16Mo3	672.0	kg	6mx16+5,1m+2,17m+6,97m+6,77m+7,02m+7,29m
Cev beš.kot. 38,0 x 4,0 P235GH+N	1,419.5	kg	6,04mx22+1,27m+6,05mx50+4,3m+0,86m
Cev beš.kot. 38,0 x 4,5 10CrMo9-10	22.5	kg	6m
Cev beš.kot. 38,0 x 5,0 10CrMo9-10	527.0	kg	6,1mx21+1,09m+1,58m
Cev beš.kot. 38,0 x 5,0 16Mo3	5.0	kg	0,48m+0,75m
Cev beš.kot. 38,0 x 5,6 10CrMo9-10	8.5	kg	1,82m
Cev beš.kot. 38,0 x 6,3 13CrMo4-5	69.0	kg	11,5+2m+1,22m
Cev beš.kot. 42,4 x 10,0 10CrMo9-10	676.0	kg	6mx8+4,58mx8
Cev beš.kot. 42,4 x 2,6 ZP16Mo3	140.5	kg	6,12x8+1,82m+3,1m
Cev beš.kot. 42,4 x 3,6 P235GH+N	1,021.5	kg	6,06mx49+2m+1m+1,17m+1,45m+4m+1m
Cev beš.kot. 42,4 x 4,0 P235GH+N	1,201.4	kg	6,06mx49+0,6m
Cev beš.kot. 44,5 x 4,5 10CrMo9-10	289.0	kg	6,08mx8kom+6,22mx2+0,86m+5,61m+1m
Cev beš.kot. 44,5 x 5,6 16Mo3	231.5	kg	7kom x (5,7-5,9) +4,5m+1,93m+2,18m
Cev beš.kot. 44,5 x 6,3 10CrMo9-10	15.5	kg	2,67m
Cev beš.kot. 44,5 x 7,1 13CrMo4-5	37.5	kg	6,12m
Cev beš.kot. 48,26 x 10,16 10CrMo9	1,536.0	kg	6,52mx24+4,0m
Cev beš.kot. 48,3 x 2,6 P235GH+TC1	37.5	kg	5,9mx2+0,84m+0,87m
Cev beš.kot. 48,3 x 3,2 P235GH+TC1	653.5	kg	5,92mx22+4,41m+4,8m+2,59m+6mx3+3m+1,22m
Cev beš.kot. 48,3 x 3,6 ZP10CrMo5-5	1,381.0	kg	6mx24kom +5,5mx25kom+6mx9+3,24m+0,72mx6
Cev beš.kot. 48,3 x 4,3 Grade T22 ASTM A	270.0	kg	5,37mx10+0,35m
Cev beš.kot. 48,3 x 5,08 P265GH+N	499.5	kg	6,18mx15+4,16m
Cev beš.kot. 51,0 x 3,5 10CrMo5-5	375.5	kg	8,1mx7+2m+1m+2,09mx4+2,1m
Cev beš.kot. 51,0 x 5,0 13CrMo4	40.0	kg	1,31m+1,4m+1,42m+1,42m+0,91m
Cev beš.kot. 51,0 x 5,0 16Mo3	544.0	kg	7,3mx10+1,98m+0,19mx2+1,29mx4
Cev beš.kot. 54,0 x 4,0 TU15CD2-05 (15Mo3)	255.0	kg	6,78x6kom+2,74m+0,76m+4,67m
Cev beš.kot. 54,0 x 5,0 10CrMo9-10	329.5	kg	7,1mx6+4,08m+1,69m+2,89m
Cev beš.kot. 57,0 x 4,5 P235GH +N	318.0	kg	6,03mx9
Cev beš.kot. 57,0 x 5,0 10CrMo9-10	925.0	kg	6,73m x 20kom +5,71m
Cev beš.kot. 57,0 x 5,0 13CrMo4-5	791.0	kg	L=6mx20kom
Cev beš.kot. 57,0 x 5,0 15Mo3N	18.0	kg	2,81m
Cev beš.kot. 57,0 x 5,0 P265GH	636.5	kg	5,1mx19+0,22m
Cev beš.kot. 60,3 x 4,0 10CrMo9-10	364.0	kg	L=5,06mx12kom
Cev beš.kot. 60,3 x 4,0 P235GH+N	769.0	kg	6,03mx21+1,71m+0,58m+1,5m+0,99m+0,61m
Cev beš.kot. 60,3 x 4,0 P265GH+N	28.0	kg	0,64m+0,69m+2,65m+2,18m+0,61m
Cev beš.kot. 60,3 x 4,5 P235GH+N	21.0	kg	3,84m
Cev beš.kot. 60,3 x 4,5 St35.8	28.0	kg	1,02m+1,4m+2,04m
Cev beš.kot. 60,3 x 5,0 18Mo5	828.0	kg	13,55mx4+5,28mx5+5,05m+6mx10+3m
Cev beš.kot. 60,3 x 5,54 P265GH+N	22.0	kg	3m
Cev beš.kot. 60,3 x 5,6 16Mo3	1,077.0	kg	10,4m-11,4mx5+oko 2m+oko 8m+1m-zid 6,3
Cev beš.kot. 60,3 x 5,6 P265GH+N	69.5	kg	0,39+5,69m+2,07m
Cev beš.kot. 60,3 x 6,3 13CrMo4-5	73.5	kg	3mx2+0,49m+2m
Cev beš.kot. 60,3 x 6,3 ZP14MoV6	24.5	kg	3m
Cev beš.kot. 60,3 x 8,8 10CrMo9-10	789.0	kg	8,4x7kom*+0,73m*+0,35m*+2,15m*
Cev beš.kot. 63,5 x 3,2 P265GH+N	4.0	kg	0,1m+0,13m+0,15m+0,19m+0,18m
Cev beš.kot. 70,0 x 5,0 16Mo3	336.9	kg	6,45x5+2,22m
Cev beš.kot. 70,0 x 8,0 13CrMo4-5	162.5	kg	5,07mx2+2,87m



<b>Proizvod</b>	<b>Količina</b>	<b>JM</b>	<b>Opis</b>
Cev beš.kot. 73,0 x 5,16 P265GH	1,105.0	kg	5,4mx23+3,99m
Cev beš.kot. 73,0 x 5,16 ZP18Mo5	565.0	kg	6mx10+2,18m
Cev beš.kot. 76,1 x 10,0 P235GH	966.5	kg	6mx3+3,03m+5,85m+12mx3
Cev beš.kot. 76,1 x 2,9 P235GH-TC1	86.0	kg	6mx2+4,54m
Cev beš.kot. 76,1 x 3,2 P265GH-TC2	24.5	kg	0,92m+3,26m
Cev beš.kot. 76,1 x 3,6 P265GH+N	350.0	kg	5,95x9+3,24m+1,24mx2
Cev beš.kot. 76,1 x 4,0 P235GH	245.0	kg	6mx5+1,55m
Cev beš.kot. 76,1 x 4,0 P265GH	95.0	kg	2,16x7kom
Cev beš.kot. 76,1 x 4,0 P265GH-TC2	422.5	kg	6mx8+5,68m+0,53m+0,55m+1,69mx2+1,85m
Cev beš.kot. 76,1 x 4,5 15Mo3	454.5	kg	6,05mx9+1,95m+1,02m+0,44m
Cev beš.kot. 76,1 x 4,5 P265GH	447.0	kg	3,52m+2,41m+0,5m+4,33mx8+1,71m+1,44m+1,71
Cev beš.kot. 76,1 x 5,0 GRADE T1 ASTM A	24.0	kg	0,83m+0,32+0,85m+0,58m
Cev beš.kot. 76,1 x 6,3 16Mo3	235.0	kg	L=6mx8+0,41m
Cev beš.kot. 76,1 x 6,3 P235GHTC1	63.5	kg	5,77m
Cev beš.kot. 76,1 x 7,1 16Mo3	41.0	kg	3,24m
Cev beš.kot. 76,1 x 8,0 16Mo3	852.5	kg	8,125mx7+5,96m
Cev beš.kot. 82,5 x 10,0 P265GH	414.0	kg	6,05mx3+4,04m+1,21m
Cev beš.kot. 82,5 x 3,6 P235GHTC1	80.0	kg	6m+3,9m+1,61m
Cev beš.kot. 82,5 x 4,0 P265GH-TC2	99.0	kg	0,69mx17
Cev beš.kot. 82,5 x 4,5 St35.8	41.0	kg	4,6m
Cev beš.kot. 82,5 x 5,6 P265GH	654.0	kg	oko 5,7mx10+oko 3,89m
Cev beš.kot. 88,9 x 11,0 16Mo3	395.0	kg	oko 9,2mx2
Cev beš.kot. 88,9 x 12,5 13CrMo4	651.0	kg	9,25mx2+6m
Cev beš.kot. 88,9 x 15,24 P265GH	558.0	kg	oko 4,8mx4+0,82m
Cev beš.kot. 88,9 x 3,2 P235GHTC1	129.5	kg	4,56mx4+4,05m+0,72m
Cev beš.kot. 88,9 x 3,6 P265GHTC2	358.0	kg	6mx5+2,78m+2,85m+2,05m+0,91mm+0,47m+2,22
Cev beš.kot. 88,9 x 3,6 St35.8/I	118.5	kg	5,03m+3,24m+2,55m+5,92m
Cev beš.kot. 88,9 x 4,0 P235GH	55.5	kg	6m +0,66m
Cev beš.kot. 88,9 x 5,6 16Mo3*	695.5	kg	3,95m+3,14m+5,89m+4,21m+5,12m+6,18m+6,24m
Cev beš.kot. 88,9 x 5,6 P235GH/St35.8	48.0	kg	4,05m
Cev beš.kot. 88,9 x 5,6 P265GH+N	31.5	kg	1,38mx2
Cev beš.kot. 88,9 x 7,62 P11 ASME	558.0	kg	12,25mx3
Cev beš.kot. 88,9 x 8,8 16Mo3	18.0	kg	1,15m

**Bešavne cevi - KONSTRUKCIONE**

<b>Proizvod</b>	<b>Količina</b>	<b>JM</b>	<b>Opis</b>
Cev beš.kons. 100,0 x 10,0 S355J2H	501.0	kg	oko 4,85mx3+2,03m+2,31m+1,1m
Cev beš.kons. 101,6 x 10,0 S355J2H	1,022.5	kg	5,43m+5,17m+5,14m+5,38m+3,94m+5,37m+1,64m
Cev beš.kons. 101,6 x 11,0 16MnCr5(Č.4320)	31.0	kg	0,48m+0,19mx3
Cev beš.kons. 101,6 x 12,5 E355	590.5	kg	7,02mx2+1,37m+6,7m
Cev beš.kons. 101,6 x 14,2 E355	2,318.0	kg	9,67m+9,65mx2+9,67m+9,66mx2+4m+9,73m+5,32
Cev beš.kons. 101,6 x 25,0 S355J2H	603.5	kg	2,42m+5,64m+5,65m+0,605m
Cev beš.kons. 101,6 x 5,0 P235TR2	39.0	kg	1,34m+0,73m+0,86m+0,49m
Cev beš.kons. 101,6 x 8,0 E355	185.5	kg	6m+2,03m+1m+0,4m
Cev beš.kons. 108,0 x 12,5 E355+N	581.5	kg	8,6mx2+1,23m
Cev beš.kons. 108,0 x 4,0 P235TR2	1,113.0	kg	6mx7+3m+3,5m+1,08m+6mx6+5,66m+3,07m+0,5
Cev beš.kons. 108,0 x 6,3 E275	725.8	kg	11,69m+5,07m+5,9m+11,4m+11,93m
Cev beš.kons. 108,0 x 8,0 E275	787.0	kg	12,22m+12,19m+12,11m+2,53m+0,51m
Cev beš.kons. 114,3 x 10,0 42CrMo4	1,616.5	kg	6,38mx3+6,43m+6,51m+6,66m+6,17m+3,35m+3,5
Cev beš.kons. 114,3 x 10,0 E275	23.0	kg	0,48m+0,42m
Cev beš.kons. 114,3 x 11,0 E355	116.0	kg	2,91m+1,07m
Cev beš.kons. 114,3 x 3,6 P235TR1	1,194.5	kg	6mx20+3m+2,04m+1,64m+0,19m
Cev beš.kons. 114,3 x 4,0 P235TR1	1,130.5	kg	6mx8+6mx7+3,79m+2m+2,5m+0,37m
Cev beš.kons. 114,3 x 5,0 P235TR1	1,341.5	kg	6mx7+6mx9+4m
Cev beš.kons. 114,3 x 5,6 P235TR1	295.0	kg	6mx2+3,05m
Cev beš.kons. 114,3 x 6,02 ASTM A 106*	181.0	kg	0,79m+2,55m+2,81m+6,17m+2,88m
Cev beš.kons. 114,3 x 6,02 ZP16Mn52NS	190.0	kg	1,14m+5,14m+5,5m
Cev beš.kons. 114,3 x 6,3 P235TR2	464.5	kg	0,84m+0,97m0,41m+0,45m+0,88m+6,25mx3+3,84
Cev beš.kons. 114,3 x 6,35 E355	296.0	kg	4,65m+4,44m+4,67m+3,96m
Cev beš.kons. 114,3 x 7,1 E355	79.0	kg	3,82m+0,56m
Cev beš.kons. 114,3 x 8,0 E235	1,179.5	kg	11,59m+9,58m+11,33m+11,75m+8m+3m
Cev beš.kons. 114,3 x 8,0 E275	24.0	kg	2,5m
Cev beš.kons. 114,3 x 8,0 E355	27.0	kg	1,46m
Cev beš.kons. 114,3 x 8,56 ASTM A 106*	240.0	kg	5,31m***+5,34m***
Cev beš.kons. 114,3 x 8,8 E355	286.5	kg	0,8m+0,62m+2,81m+2,97m+4,99m
Cev beš.kons. 121,0 x 10,0 E235	296.0	kg	5,39m+3,3m
Cev beš.kons. 121,0 x 10,0 P235TR2	273.5	kg	5mx2+1,79m+1,2m
Cev beš.kons. 121,0 x 10,0 S355J2H	1,323.0	kg	9,66mx5
Cev beš.kons. 121,0 x 11,0 S460NH	16.5	kg	0,5m
Cev beš.kons. 121,0 x 12,5 E355	540.5	kg	6m+5,94m+5,96m
Cev beš.kons. 121,0 x 12,5 S355J2H	554.5	kg	6m+5m
Cev beš.kons. 121,0 x 16,0 E355	70.0	kg	1,64m
Cev beš.kons. 121,0 x 5,0 ZP18Mn122NS	48.0	kg	0,35m+0,38m+0,39m+1,94m
Cev beš.kons. 127,0 x 25,0 S355J2H	1,301.5	kg	5,62m+5,75m+5,46m+5,84m+0,34m
Cev beš.kons. 127,0 x 6,3 E355	14.5	kg	0,77m***
Cev beš.kons. 133,0 x 11,0 E355	295.0	kg	3,26m+4,39m+0,97m
Cev beš.kons. 133,0 x 30,0 S355J2H	1,761.5	kg	4,48mx4+4,43m+1,38m
Cev beš.kons. 133,0 x 8,0 E275	531.5	kg	6m+2,6m
Cev beš.kons. 133,0 x 8,8 E355	724.5	kg	2,37m
Cev beš.kons. 139,7 x 10,0 E235	126.5	kg	0,84m+1,85m+0,67m
Cev beš.kons. 139,7 x 10,0 P235TR2	551.0	kg	8mx2+1,5m
Cev beš.kons. 139,7 x 17,5 E355	335.0	kg	1,965m+3,85m+0,47m+0,36m
Cev beš.kons. 139,7 x 6,3 P235TR2	1,119.0	kg	12mx4+6m+0,4m



<b>Proizvod</b>	<b>Količina</b>	<b>JM</b>	<b>Opis</b>
Cev beš.kons. 139,7 x 7,1 E235	7.0	kg	0,29m
Cev beš.kons. 139,7 x 8,8 E355	166.0	kg	5,77m
Cev beš.kons. 139,7 x 8,8 P235TR1	534.5	kg	9,3m+6m+1,55m+0,17m
Cev beš.kons. 146,0 x 8,8 E355	60.0	kg	1,33m+0,67m
Cev beš.kons. 152,4 x 6,3 E235	23.0	kg	1,53m
Cev beš.kons. 152,4 x 6,3 E275	178.0	kg	0,22m+1,98m+6m
Cev beš.kons. 152,4 x 6,3 E355	19.0	kg	0,81m
Cev beš.kons. 159,0 x 16,0 E355	151.5	kg	2,53m
Cev beš.kons. 159,0 x 6,3 E275	916.0	kg	11,44m+11,08m+11,71m+5,1m+1,09m
Cev beš.kons. 159,0 x 7,1 E235	398.5	kg	4m+11,74m+1,77m
Cev beš.kons. 168,3 x 10,0 E355	118.0	kg	2,37m-zid 11,5m
Cev beš.kons. 168,3 x 11,0 E275	115.0	kg	1,07m+1,28m
Cev beš.kons. 168,3 x 11,0 E355	624.0	kg	12,79m*-ZID 12,5m
Cev beš.kons. 168,3 x 12,5 E235	619.0	kg	0,34m+12,04m
Cev beš.kons. 168,3 x 12,5 E355 II	39.5	kg	0,78m
Cev beš.kons. 168,3 x 14,2 E235	535.0	kg	9,57m
Cev beš.kons. 168,3 x 14,27 E275	54.0	kg	0,95m
Cev beš.kons. 168,3 x 16,0 E355	802.0	kg	12,86m
Cev beš.kons. 168,3 x 17,5 E355	304.0	kg	4,18m- zid18-20-spoljni 166-140mm
Cev beš.kons. 168,3 x 20,0 E235	226.0	kg	3,96m
Cev beš.kons. 168,3 x 20,0 E355	61.0	kg	0,77m
Cev beš.kons. 168,3 x 22,2 E355	166.5	kg	2,025m
Cev beš.kons. 168,3 x 25,0 E355	308.0	kg	3,33m
Cev beš.kons. 168,3 x 6,3 E235	76.5	kg	2.49m
Cev beš.kons. 168,3 x 6,3 E355	328.0	kg	12,43m
Cev beš.kons. 168,3 x 7,1 E355+AR	8.0	kg	0,28m
Cev beš.kons. 168,3 x 7,11 L245	1,349.5	kg	0,57m+5,92m+4,39m+5,8mm+5,83m+5,92m+5,53
Cev beš.kons. 177,8 x 10,0 E355	287.0	kg	1,07m+4,58m-zid 12.5-15
Cev beš.kons. 177,8 x 12,5 E355	861.0	kg	11,93*m-zid 14,5
Cev beš.kons. 177,8 x 14,2 E355	310.5	kg	5,38m
Cev beš.kons. 177,8 x 16,0 E355	612.5	kg	3,78m+6,08m
Cev beš.kons. 177,8 x 17,5 E355	407.0	kg	5,21m+0,5m
Cev beš.kons. 177,8 x 36,0 E355	503.5	kg	0,205m+3,72m
Cev beš.kons. 177,8 x 6,3 E235	96.0	kg	1,2m+3,55m
Cev beš.kons. 177,8 x 6,3 E355	337.0	kg	6,13m+6,09m
Cev beš.kons. 177,8 x 8,0 E355	474.0	kg	0,645m+11,81m/2*
Cev beš.kons. 177,8 x 8,8 E355 II	479.5	kg	6m+3,65m+3,09m
Cev beš.kons. 191,0 x 22,2 E355	610.0	kg	3,88m+2,75m
Cev beš.kons. 191,0 x 40,0 E355	647.0	kg	3,93m
Cev beš.kons. 191,0 x 6,3 E355	163.0	kg	5,57m
Cev beš.kons. 193,7 x 10,0 E355	78.0	kg	0,47m+2,41m
Cev beš.kons. 193,7 x 12,5 E355	248.0	kg	4,39m
Cev beš.kons. 193,7 x 17,5 E355	14.0	kg	0,18m
Cev beš.kons. 193,7 x 20,0 E235	352.0	kg	4,095m
Cev beš.kons. 193,7 x 32,0 E355	465.0	kg	3,61m
Cev beš.kons. 193,7 x 6,3 E355	258.0	kg	6m+0,2m
Cev beš.kons. 200,0 x 23,5 E470	20.5	kg	0,2m
Cev beš.kons. 203,0 x 10,0 E355	500.0	kg	2,84m+5,68m+2,23m
Cev beš.kons. 203,0 x 17,5 E355	467.5	kg	5,59m

<b>Proizvod</b>	<b>Količina</b>	<b>JM</b>	<b>Opis</b>
Cev beš.kons. 203,0 x 22,2 E355	817.0	kg	6m+1,62m
Cev beš.kons. 203,0 x 38,1 E355	943.0	kg	6,21m*
Cev beš.kons. 21,3 x 2,3 P235TR1+N	1,403.5	kg	6,01mx211+2m
Cev beš.kons. 21,3 x 2,6 P235TR1+N	1,650.0	kg	6mx227
Cev beš.kons. 21,3 x 2,6 S355J2H	2.0	kg	0,47m+1,14m
Cev beš.kons. 21,3 x 3,73 Grad B	531.5	kg	(5,5-6) x 49-razli;ite debljine+6mx2+5,56m
Cev beš.kons. 216,0 x 25,0 E355	338.0	kg	2,87m
Cev beš.kons. 216,0 x 40,0 E355	648.0	kg	3,63m
Cev beš.kons. 216,0 x 8,0 E355	163.0	kg	3,55m
Cev beš.kons. 219,1 x 10,0 E355	154.0	kg	1,83m+0,52m+0,51m
Cev beš.kons. 219,1 x 11,0 E355	34.5	kg	0,58m
Cev beš.kons. 219,1 x 12,5 E235	401.0	kg	6,07m
Cev beš.kons. 219,1 x 14,2 E355	436.0	kg	5,82m
Cev beš.kons. 219,1 x 16,0 E275	221.0	kg	2,27m+0,5m
Cev beš.kons. 219,1 x 18,26 E275	627.0	kg	6,74m
Cev beš.kons. 219,1 x 20,0 E275	506.0	kg	5,0m*
Cev beš.kons. 219,1 x 22,2 E355	85.0	kg	0,76m
Cev beš.kons. 219,1 x 28,0 E355	260.5	kg	1,82m
Cev beš.kons. 219,1 x 6,3 E235	330.5	kg	0,53m+0,4m+5,43m
Cev beš.kons. 219,1 x 6,3 E355	265.0	kg	5,51m**
Cev beš.kons. 219,1 x 6,35 E275	321.0	kg	6,09m+2,91m
Cev beš.kons. 219,1 x 60,0 E355	951.0	kg	4,06m
Cev beš.kons. 219,1 x 7,1 E355	244.0	kg	6,07m*
Cev beš.kons. 219,1 x 8,0 E355	263.0	kg	5,9m*
Cev beš.kons. 219,1 x 8,18 ASTM A	217.0	kg	0,63m+4,47m
Cev beš.kons. 219,1 x 8,8 E355	37.0	kg	0,99m
Cev beš.kons. 219,1 x 9,5 E355 II	22.0	kg	0,43m
Cev beš.kons. 22,0 x 2,5 Č.1212	172.0	kg	5mx25+0,69m+3,91m+2m+1,48m+1,16m+1,32m+
Cev beš.kons. 229,0 x 10,0 E355	633.5	kg	6m+5,01m
Cev beš.kons. 229,0 x 14,2 E355	237.0	kg	2,96m
Cev beš.kons. 229,0 x 20,0 E355	809.5	kg	1,42m+6,14m*
Cev beš.kons. 241,0 x 22,2 E355	366.0	kg	2,5m+0,34m
Cev beš.kons. 241,0 x 50,0 E355	1,158.0	kg	4,93m
Cev beš.kons. 244,5 x 12,5 E355 II	38.5	kg	0,49m
Cev beš.kons. 244,5 x 17,5 E355	1,084.5	kg	0,43m+10,4m
Cev beš.kons. 244,5 x 20,0 E355	514.0	kg	4,49m
Cev beš.kons. 244,5 x 6,3 E355	90.0	kg	2,35m
Cev beš.kons. 244,5 x 7,1 E355	272.0	kg	6,19m
Cev beš.kons. 244,5 x 8,0 E355	376.5	kg	6m+1,54m
Cev beš.kons. 245,0 x 10,0 E235	825.5	kg	2,56m*+4,7m*+5,9m
Cev beš.kons. 25,4 x 2,0 S235JRH	329.0	kg	(3-8) x 56+1,07x2+1,06m
Cev beš.kons. 254,0 x 10,0 E355	310.0	kg	4,39m+2,25m
Cev beš.kons. 254,0 x 25,0 E355	330.5	kg	2,29m
Cev beš.kons. 254,0 x 32,0 E355	196.5	kg	1,155m
Cev beš.kons. 254,0 x 6,3 E355	222.0	kg	1,3m+3,82m
Cev beš.kons. 254,0 x 7,1 E355	33.0	kg	0,635m
Cev beš.kons. 26,7 x 2,87 ZP16Mn52NS	341.0	kg	oko 5,6mx35
Cev beš.kons. 26,9 x 2,6 P235TR1	1,646.0	kg	4,35m+4,05m+5m+1,04m+6,07mx171
Cev beš.kons. 26,9 x 3,6 St52	256.0	kg	oko 11,76mx10+2m+oko 5m+3,68m+1,01m+2,27m

<b>Proizvod</b>	<b>Količina</b>	<b>JM</b>	<b>Opis</b>
Cev beš.kons. 26,9 x 4,0 ZP8Mn45	232.0	kg	oko 12mx8+9m+1m+0,46m
Cev beš.kons. 267,0 x 10,0 E355 II	213.5	kg	3,2m
Cev beš.kons. 267,0 x 14,2 E355	803.0	kg	3,25m+4,27m
Cev beš.kons. 267,0 x 15,0 L245	89.0	kg	0,89m
Cev beš.kons. 267,0 x 16,0 E355	418.0	kg	4,09m
Cev beš.kons. 267,0 x 22,2 E355	462.0	kg	4,75m
Cev beš.kons. 267,0 x 6,3 E355	164.0	kg	2,21m+0,85m
Cev beš.kons. 267,0 x 60,0 E355	969.0	kg	3,14m
Cev beš.kons. 267,0 x 7,1 E355	92.0	kg	
Cev beš.kons. 273,0 x 10,0 E235	304.0	kg	4,57m*
Cev beš.kons. 273,0 x 11,0 E235	499.5	kg	1,68m+4,93m
Cev beš.kons. 273,0 x 11,0 E355	277.0	kg	0,56m**+0,39m***+1,3mx2***
Cev beš.kons. 273,0 x 15,09 E275	177.0	kg	0,46m+1,15m
Cev beš.kons. 273,0 x 15,09 E355	44.0	kg	0,44m
Cev beš.kons. 273,0 x 17,5 E355	439.0	kg	1,98m+1,97m
Cev beš.kons. 273,0 x 18,26 ASTM A333	45.0	kg	0,36m*
Cev beš.kons. 273,0 x 28,0 E355	903.0	kg	5,37m
Cev beš.kons. 273,0 x 30,0 E355	98.0	kg	0,41m
Cev beš.kons. 273,0 x 45,0 E355	370.0	kg	1,37m
Cev beš.kons. 273,0 x 6,3 E355	220.0	kg	1,01m+4,09m
Cev beš.kons. 273,0 x 6,35 E275	414.0	kg	8,38m
Cev beš.kons. 273,0 x 7,8 ASTM A 106	434.0	kg	0,64+4,77m+0,935m+0,725m+0,35m
Cev beš.kons. 273,0 x 9,27 ASTM A	455.0	kg	6m+1,06m
Cev beš.kons. 28,0 x 7,0 CK45 BK	85.0	kg	6mx2+4,7m+1,61m+2,36m
Cev beš.kons. 298,5 x 10,0 E355	340.0	kg	3,15m+1,45m
Cev beš.kons. 298,5 x 16,0 E355	31.0	kg	0,24m
Cev beš.kons. 298,5 x 20,0 E355	836.0	kg	5,99m
Cev beš.kons. 298,5 x 25,0 E355	585.0	kg	3,4m
Cev beš.kons. 298,5 x 30,0 E355	69.5	kg	0,34m*
Cev beš.kons. 298,5 x 60,0 E355	1,000.0	kg	2,81m
Cev beš.kons. 298,5 x 8,0 E355	367.0	kg	6,15m
Cev beš.kons. 298,5 x 8,8 E355	407.0	kg	6,05m*
Cev beš.kons. 30,0 x 4,0 P235TR1	1,054.0	kg	6,02mx66
Cev beš.kons. 305,0 x 10,0 E355	471.0	kg	1,93m+4,26m
Cev beš.kons. 305,0 x 17,5 E355	282.0	kg	1,47m+0,71m
Cev beš.kons. 305,0 x 19,0 E355	48.5	kg	0,31m
Cev beš.kons. 305,0 x 25,0 E355	843.0	kg	4,79m
Cev beš.kons. 31,7 x 3,68 S275JOH	204.5	kg	L=6,4mx10+2,47m+0,25m+0,94mx7+1,91m+0,9m+
Cev beš.kons. 31,8 x 4,0 P235TR1	1,189.0	kg	6mx67+4,29m+2,79mx5
Cev beš.kons. 31,8 x 4,0 S355J2H	6.0	kg	2,46m
Cev beš.kons. 31,8 x 6,3 15229.5	29.0	kg	6,01m+1,0m+0,45m
Cev beš.kons. 318,0 x 11,0 E355	99.0	kg	1,04m
Cev beš.kons. 318,0 x 17,5 E355	764.0	kg	5,91m
Cev beš.kons. 318,0 x 20,0 E355	1,320.0	kg	8,74m
Cev beš.kons. 318,0 x 25,0 E355	159.0	kg	0,76m
Cev beš.kons. 32,0 x 4,0 P265TR2	17.0	kg	6,45m
Cev beš.kons. 32,0 x 4,5 S235J2H	230.0	kg	1,15mx2+6mx5+5,08x5
Cev beš.kons. 32,0 x 4,5 S275JOH	862.0	kg	6mx22+4,5m+4,5m+6mx14+3,5m+6mx12+5,1mx1
Cev beš.kons. 323,9 x 10,0 E355 II	31.0	kg	0,46m

<b>Proizvod</b>	<b>Količina</b>	<b>JM</b>	<b>Opis</b>
Cev beš.kons. 323,9 x 11,53 ASTM A	301.0	kg	2,03m+1,12m
Cev beš.kons. 323,9 x 12,5 E355	66.0	kg	0,46m+0,19m
Cev beš.kons. 323,9 x 12,7 ASM A 106	290.0	kg	1,03m+0,48m+0,25m+0,41m+0,51m
Cev beš.kons. 323,9 x 16,0 ASTM A	493.0	kg	3,63m+0,3m
Cev beš.kons. 323,9 x 17,0 ASTM A	1,387.0	kg	6,59m+3,56m+0,17m
Cev beš.kons. 323,9 x 32,0 S235JRH	2,275.0	kg	0,06m+4,21-zid do 35mm
Cev beš.kons. 323,9 x 7,1 E275	5.5	kg	0,09m
Cev beš.kons. 323,9 x 7,1 E355	450.0	kg	6m+1,05m
Cev beš.kons. 323,9 x 8,0 ASTM A 106	46.0	kg	0,76m
Cev beš.kons. 324,0 x 8,0 E235	57.0	kg	0,91m
Cev beš.kons. 33,0 x 2,0 St37.0	741.0	kg	(3m-3,5m)x90+(0,5m-1,4m)x30 zardjale
Cev beš.kons. 33,4 x 3,38 P11 ASME	32.0	kg	6,0m+5,5m-krive
Cev beš.kons. 33,4 x 4,5 S235JRH	557.0	kg	L=6,06mx30+3,05m
Cev beš.kons. 33,4 x 4,55 S355J2H	47.0	kg	L=6mx2+2,99m
Cev beš.kons. 33,7 x 2,6 P235TR1	12.0	kg	1,14m+0,72m+0,8m+0,8m+1,5m
Cev beš.kons. 33,7 x 3,2 P235TR1	247.0	kg	6mx10+3,5m+4,4m+1,4m+0,76m+0,6m+1,26m
Cev beš.kons. 33,7 x 3,6 P235TR1	10.0	kg	2m+2,34m
Cev beš.kons. 33,7 x 4,0 ZP16Mn52NS	5.0	kg	1,85m-spoljni 32
Cev beš.kons. 33,7 x 5,0 P235TR2	3.5	kg	0,97m
Cev beš.kons. 33,7 x 7,1 P355N	205.0	kg	6mx6+4m
Cev beš.kons. 330,0 x 12,5 E355	516.0	kg	5,07m
Cev beš.kons. 34,0 x 4,5 E355+C	55.0	kg	2m+1,89m+1,36m+0,67m+1,86m+4,78m+4,19m+0
Cev beš.kons. 343,0 x 25,0 E355	1,721.0	kg	6m+2,46m-zid 23-28
Cev beš.kons. 343,0 x 50,0 E355	254.0	kg	0,7m
Cev beš.kons. 35,0 x 6,3 ZP60Mn70(C60)	12.5	kg	3,14m
Cev beš.kons. 355,6 x 10,0 E355	1,033.0	kg	5,1m+6m
Cev beš.kons. 355,6 x 11,0 L245	920.0	kg	5,37m-jajasta-zid 9-10,spoljni 340-367+5,37m
Cev beš.kons. 355,6 x 12,5 E355	803.0	kg	6.0m*+1.37m*
Cev beš.kons. 355,6 x 12,7 API 5L	326.0	kg	0,365m+0,23m+2,36m
Cev beš.kons. 355,6 x 16,0 E355	707.0	kg	4,97m
Cev beš.kons. 355,6 x 19,1 E275	42.0	kg	0,26m*
Cev beš.kons. 355,6 x 20,0 E355	613.0	kg	3,66m
Cev beš.kons. 355,6 x 25,0 E355	1,036.0	kg	(0,355m-zid 22,5-29)+4,16m
Cev beš.kons. 355,6 x 35,0 E355	347.0	kg	1,37m
Cev beš.kons. 355,6 x 60,0 E355	867.0	kg	2,09m*-zid 58-65
Cev beš.kons. 355,6 x 9,53 API 5L	548.5	kg	0,99m+5,23m
Cev beš.kons. 355,6 x 9,53 L245	851.0	kg	4,1m+2,05m+2,83m+3,11m+4,65m
Cev beš.kons. 358,0 x 12,5 St37.0	165.0	kg	1,54m
Cev beš.kons. 368,0 x 10,0 E355	991.5	kg	0,42m+1,74m+8,08m
Cev beš.kons. 368,0 x 12,5 E355	503.0	kg	4,76m
Cev beš.kons. 368,0 x 14,2 E355	1,142.0	kg	8,88m
Cev beš.kons. 368,0 x 22,2 E355	923.0	kg	5,23m
Cev beš.kons. 368,0 x 30,0 E355	1,022.0	kg	3,92m
Cev beš.kons. 377,0 x 12,5 E235 II	797.0	kg	0,855m+6,03m
Cev beš.kons. 377,0 x 20,0 E355	736.0	kg	4,22m
Cev beš.kons. 38,0 x 3,5 S235JRH	173.5	kg	L=6,02mx15+3m+1,6m
Cev beš.kons. 38,0 x 8,0 P235TR2	367.5	kg	oko 7,5mx7+1,5m+oko 6,0m
Cev beš.kons. 381,0 x 60,0 E355	658.0	kg	1,36m
Cev beš.kons. 394,0 x 22,2 E355	312.0	kg	1,4m

<b>Proizvod</b>	<b>Količina</b>	<b>JM</b>	<b>Opis</b>
Cev beš.kons. 394,0 x 30,0 E355 II	1,303.5	kg	0,41m+4,23m
Cev beš.kons. 406,4 x 20,0 E355	830.0	kg	4,42m
Cev beš.kons. 406,4 x 25,0 E355	484.0	kg	2,015m-zid 23-27,5
Cev beš.kons. 406,4 x 30,0 E355	346.0	kg	1,32m
Cev beš.kons. 406,4 x 32,0 S355J2H	1,055.5	kg	3,25m
Cev beš.kons. 406,4 x 50,0 E355	1,292.0	kg	2,85m-zid 48-52
Cev beš.kons. 42,4 x 3,6 E355	311.0	kg	5,79mx13+2,56m+1,56m+1,31m+1,95mx4
Cev beš.kons. 42,4 x 4,0 E235	3.5	kg	1,33m
Cev beš.kons. 42,4 x 4,5 P355NL1	21.4	kg	1,61m+3,47m*
Cev beš.kons. 42,4 x 6,3 P355N	882.0	kg	4,02mx38
Cev beš.kons. 42,4 x 6,3 S235JRH	335.5	kg	4,25mx13+2,26m+1,24m
Cev beš.kons. 42,4 x 7,1 C55E	5.5	kg	0,84m
Cev beš.kons. 44,5 x 10,0 E355+N	1,082.5	kg	6,04mx20+1,93m
Cev beš.kons. 44,5 x 5,6 ZP16Mo3	922.5	kg	6x15kom+5,75x14+0,9m+1,9m
Cev beš.kons. 44,5 x 8,0 P235TR2	838.5	kg	6mx18+5m
Cev beš.kons. 457,0 x 21,5 ASTMA A	7.0	kg	0,03m
Cev beš.kons. 48,3 x 2,6 OLT35	18.0	kg	5,07m+0,93m
Cev beš.kons. 48,3 x 2,6 S235JRH	32.0	kg	5,57m+1,3m+3,06m+0,65m
Cev beš.kons. 48,3 x 2,6 ZP16Mn52NS	601.0	kg	7,4mx24+1,4mx10+0,38m+8,4m-odneto
Cev beš.kons. 48,3 x 3,0 S355J2H	10.0	kg	2,01m+1,03m
Cev beš.kons. 48,3 x 3,2 P235TR2	2.0	kg	0,27m+0,29m
Cev beš.kons. 48,3 x 3,2 S275J2H	2.0	kg	4,03m
Cev beš.kons. 48,3 x 3,6 ZP10Mn52	119.0	kg	6m+4,21mx4+1,18m+1,22m+1,2m+0,89m+3,64m+
Cev beš.kons. 48,3 x 4,0 E355+N	3.0	kg	0,75m
Cev beš.kons. 48,3 x 5,08 P11 ASTM A	23.0	kg	4,17m
Cev beš.kons. 48,3 x 6,3 P235TR1	650.5	kg	6,07mx15+3m+1,5m
Cev beš.kons. 48,3 x 7,1 C55E	165.0	kg	6,75mx3+1,8m
Cev beš.kons. 48,3 x 8,0 C55E	284.0	kg	od 6,1m-6,8mx4+1,34m
Cev beš.kons. 508,0 x 10,0 ASTM A 106	1,654.0	kg	0,44***m+0,44m+0,23m0,57m+2,88m*+2,585m**
Cev beš.kons. 51,0 x 2,9 P235TR2	615.0	kg	6,06mx28+5,03m+1,02m-kriva
Cev beš.kons. 51,0 x 3,2 ZP10Mn52	1.5	kg	0,43m
Cev beš.kons. 54,0 x 4,0 S235JRH	85.5	kg	L=12m+3,37m+0,62m
Cev beš.kons. 54,0 x 4,5 S235JRH	1,054.5	kg	L=6,07mx28+0,72m
Cev beš.kons. 54,0 x 5,0 S235JRH	2.0	kg	0,29m
Cev beš.kons. 550,0 x 20	1,060.0	kg	4,06m***
Cev beš.kons. 57,0 x 2,9 P235TR2	518.0	kg	6,72mx19+4,71m
Cev beš.kons. 57,0 x 2,9 S235JRH	229.5	kg	L=6mx7+1,6m+6mx2+4m
Cev beš.kons. 57,0 x 3,2 S355J2H	2.0	kg	0,47m
Cev beš.kons. 57,0 x 4,5 S235JRH	188.0	kg	L=7,5mx2+6,49m+0,5m+6,49m+0,71m+0,48m
Cev beš.kons. 57,0 x 5,0 S235JRH	120.5	kg	L=7,1m+6,1m+6,09m+6,45m
Cev beš.kons. 57,0 x 6,3 S235JRH	51.5	kg	5,45m+0,4m
Cev beš.kons. 60,3 x 10,0 S355J2H	1,447.0	kg	6mx19+1,43m
Cev beš.kons. 60,3 x 12,5 E355	1,024.0	kg	72,34m/9
Cev beš.kons. 60,3 x 12,5 P235TR2	35.5	kg	2,04m
Cev beš.kons. 60,3 x 14,2 E355	1,842.5	kg	oko 6,74mx16+2,78m
Cev beš.kons. 60,3 x 2,8 S355J2H	14.5	kg	1,43m+1,22mn+0,92m
Cev beš.kons. 60,3 x 2,9 P235TR1	490.0	kg	0,99m+0,64m+6mx14+1,04m
Cev beš.kons. 60,3 x 3,1 S235JRH	444.0	kg	6m x 15
Cev beš.kons. 60,3 x 3,2 P235TR1	30.5	kg	2,03m+0,58m+0,57m+0,42m+4m

<b>Proizvod</b>	<b>Količina</b>	<b>JM</b>	<b>Opis</b>
Cev beš.kons. 60,3 x 3,6 P235TR2	1,196.0	kg	6,04mx23+3m+3,62m+6,04mx14
Cev beš.kons. 60,3 x 3,6 St37.0	88.5	kg	6mx3
Cev beš.kons. 60,3 x 4,0 ZP8Mn45NS	858.0	kg	6,02x5+7,05mx15+3m+0,4m
Cev beš.kons. 60,3 x 4,5 P235TR1	1,371.5	kg	6mx36+1,44m
Cev beš.kons. 60,3 x 4,5 S275JOH	3.5	kg	0,63m
Cev beš.kons. 60,3 x 5,0 18Mn122	315.0	kg	6,5mx5+1,5m-zid 6
Cev beš.kons. 60,3 x 5,0 P235TR2	126.0	kg	6,03mx3+0,79m+0,7m+0,39m
Cev beš.kons. 60,3 x 5,54 X42 API SPEC.5L	57.0	kg	3,83m+3,04m+0,82m
Cev beš.kons. 60,3 x 5,6 P235TR1	250.5	kg	L=6,02mx5+23m+0,23m
Cev beš.kons. 60,3 x 6,3 P235TR1	197.0	kg	6,05mx3+2,5m+1,04m+0,88m
Cev beš.kons. 60,3 x 8,0 S235JRH	10.0	kg	0,86m
Cev beš.kons. 60,3 x 8,0 S355J2H	1,506.0	kg	6mx24
Cev beš.kons. 60,3 x 8,73 S275JOH	77.5	kg	4,74m
Cev beš.kons. 60,3 x 8,74 S275JOH	81.5	kg	5,73m+1,4m
Cev beš.kons. 63,5 x 14,2 E355	1,582.0	kg	93,09m/15
Cev beš.kons. 63,5 x 2,9 S235JRH	4.0	kg	1,19m
Cev beš.kons. 63,5 x 3,5 S235JRH	355.0	kg	L=6,02mx11+0,67m+2,35m
Cev beš.kons. 63,5 x 4,5 S235JRH	336.0	kg	L=8,09mx6+2,79m
Cev beš.kons. 63,5 x 4,5 S355J2H	2,296.0	kg	6mx58
Cev beš.kons. 63,5 x 5,0 S275JOH	63.5	kg	L=6,05m+2,42m
Cev beš.kons. 63,5 x 5,6 S275JOH	419.0	kg	L=7,41mx6+5,7+1,97+5,41m
Cev beš.kons. 63,5 x 6,3 ZP8Mn45	445.5	kg	od 4,3m-6m x 7+0,77m+1,24m+4,24m+1,39m+1,1
cev beš.kons. 63,5 x 8,8 E355	231.0	kg	9,77m+1,45m+0,74m+2,465m+4,36m
Cev beš.kons. 65,0 x 7,5 S355J2H	299.0	kg	L=7,3mx3+3,23m
Cev beš.kons. 66,5 x 5,6 S235JRH	1,207.0	kg	11,6mx11+6mx2+0,47m
cev beš.kons. 70,0 x 8,0 E355	367.0	kg	1,66m+6mx3+5,46m+5,1m+0,75m+1m
Cev beš.kons. 73,0 x 7,01 P235TR2	787.0	kg	6,65mx10+1,22m
Cev beš.kons. 73,0 x 7,01 ZP8Mn45NS	10.0	kg	0,82m
Cev beš.kons. 76,1 x 10,0 E355	439.0	kg	oko 11,33m+6mx2+4,15m
Cev beš.kons. 76,1 x 12,5 E355	220.5	kg	11,13m/2+0,8m
Cev beš.kons. 76,1 x 16,0 E235	716.5	kg	5,93m+5,78m+1,75,26m+5,91mx2+5,95m
Cev beš.kons. 76,1 x 2,8 S235JRH	512.0	kg	6,05mx17kom+1,99m
Cev beš.kons. 76,1 x 2,9 S355J2H	19.5	kg	4m-kriva
Cev beš.kons. 76,1 x 2,9 ZP8Mn45NS	437.5	kg	5,7mx7+5,1mx7+4m+1,64m
Cev beš.kons. 76,1 x 3,2 S355J2H	42.0	kg	2m+5,05m
Cev beš.kons. 76,1 x 3,6 E235	3.0	kg	0,49m
Cev beš.kons. 76,1 x 4,0 GRADE A-1	117.0	kg	5,97m+4,96m+2,06m+2,96m+0,69m
Cev beš.kons. 76,1 x 4,0 P235TR1	104.0	kg	3m+1,91mx5+1,7m+0,49m
Cev beš.kons. 76,1 x 4,0 P235TR2	969.0	kg	oko 7,1mx19
Cev beš.kons. 76,1 x 4,0 St37.0	43.5	kg	1mx3+3,93m
Cev beš.kons. 76,1 x 4,5 P235TR1	611.5	kg	6mx9+4,5m+1,94m+1,98m
Cev beš.kons. 76,1 x 5,0 P235TR1	1,005.0	kg	6mx16+3,89m+0,7m+0,91m+1,37m+5,24m+2,94m
Cev beš.kons. 76,1 x 6,3 8617H SAE	601.5	kg	oko 6,5m-6,6mx5
Cev beš.kons. 76,1 x 6,3 P235TR1	379.0	kg	6mx4+3m+4,54+1,77m
Cev beš.kons. 76,1 x 7,1 S355J2H	1,834.0	kg	6,02mx25+3m
Cev beš.kons. 80,0 x 5,0 16MnCr5(Č.4320)	66.5	kg	5,65m+1,5m+0,5m
Cev beš.kons. 82,5 x 12,5 E355	1,268.0	kg	61,83m/10
cev beš.kons. 82,5 x 12,5 S355J2H	488.0	kg	6,27m+6,2mx2+0,71m+0,93m+1m
Cev beš.kons. 82,5 x 16,0 E355	469.0	kg	6,3mx2+4,91m



<b>Proizvod</b>	<b>Količina</b>	<b>JM</b>	<b>Opis</b>
Cev beš.kons. 82,5 x 3,2 P265TR1	100.0	kg	2,78mx2+2,87m+6+1,88m+1,81m+2,65m
Cev beš.kons. 82,5 x 3,6 S235JRH	595.0	kg	0,3x8+0,51m+0,55m+6mx2+0,93m+6mx12+0,3m
Cev beš.kons. 82,5 x 4,5 20MnV6	245.0	kg	6mx4+1,73m+2m
Cev beš.kons. 82,5 x 8,0 E355	606.0	kg	6mx6+5,46m+4,11m+0,7m+1,02m
Cev beš.kons. 82,5 x 8,8 S355J2H	1,493.0	kg	6mx15+2,38m
Cev beš.kons. 88,9 x 14,2 E355	1,063.0	kg	9,2mx4+6m+2,1m
Cev beš.kons. 88,9 x 16,0 18Mn122	440.0	kg	6m+4,84m+3,65m+0,34m
Cev beš.kons. 88,9 x 16,0 E355	637.0	kg	9,19mx2+5,15m
Cev beš.kons. 88,9 x 16,0 S235JRH	1,549.0	kg	4,4mx12
Cev beš.kons. 88,9 x 25,0 S355J2H	446.5	kg	3,67m+5,98m
Cev beš.kons. 88,9 x 3,2 E235	1,198.5	kg	6mx24+1m+4m+2,7m+2m+2,94m+0,93m+0,2m+2
Cev beš.kons. 88,9 x 4,0 P235TR2	737.5	kg	6mx12+2,17m+3m+1,5mx4+4m+2,16m+0,33m
Cev beš.kons. 88,9 x 5,0 P235TR1	48.0	kg	3,58m+0,79m
Cev beš.kons. 88,9 x 5,49 P265GH TC1*	438.5	kg	1,81m+4,91m+5,23m+1,24m+5,26m+1,51m+1,25m
Cev beš.kons. 88,9 x 7,1 E235	9.0	kg	0,63m
Cev beš.kons. 88,9 x 7,1 P235TR1	754.5	kg	6mx10+1.36m+0,3m+2,25m+0,6m
Cev beš.kons. 88,9 x 7,62 ZP8Mn45NS	24.0	kg	1,54m
Cev beš.kons. 95,0 x 10,0 E235	129.0	kg	5,85m+0,29m
Cev beš.kons. 95,0 x 12,5 E355	336.5	kg	4,97m+5,08m+1,87m+0,14m
Cev beš.kons. 95,0 x 7,1 E355	1,163.0	kg	9m-11mx5+6mx2+2,23m+4,86m+3,09m+0,61m

**Šavne cevi**

<b>Proizvod</b>	<b>Količina</b>	<b>JM</b>	<b>Opis</b>
Cev šav. ZP profil 1004 Č.0361	304.0	kg	6x15 kom
Cev šav. ZP profil 1204 Č.0361	6.5	kg	3m
Cev šav. ZP profil 1304	5.0	kg	1,57m
Cev šav.kvad. 100x100x4,8 S235JR	30.5	kg	2m
Cev šav.kvad. 120x120x6 S235	23.0	kg	1,09m
Cev šav.kvad. 20x20x1,8 S235	122.5	kg	6mx16+4m
Cev šav.kvad. 40x40x2,8 S235JR	180.0	kg	
Cev šav.kvad. 50x50x2,0	70.0	kg	6mx3+2,65m+4m
Cev šav.kvad. 60x60x3 S235	66.5	kg	6mx3
Cev šav.kvad. 60x60x3,8 S235JR	697.0	kg	
Cev šav.kvad. 70x70x2,5	16.0	kg	3m
Cev šav.okrugla 1"(33,7x2,2)	295.0	kg	6x21+4m+1,88m+1,5mx13kom+0,6m+2m+3m*+4
Cev šav.okrugla 1"x3,2 HI	282.0	kg	6mx19+3,5m
Cev šav.okrugla 159,0 x 3,8 S235JRH	135.0	kg	6m+2,48m
Cev šav.okrugla 2" x 2,0 (60,3mm)	40.0	kg	6m+0,65xx21,23m-kriva+0,46m
Cev šav.okrugla 25,0 x 1,5 HV	108.0	kg	6m x 17+6m-kriva
Cev šav.okrugla 3/8	139.0	kg	6mx26+4m
Cev šav.okrugla 42,4x1,5	15.5	kg	2,91+6
Cev šav.okrugla 5/4" 42,4x2,6	15.0	kg	6m
Cev šav.okrugla 5/4x3,2 " HI	37.0	kg	6mx2
Cev šav.okrugla 508 x 8	27.0	kg	0,28m
Cev šav.okrugla 550 x 8	125.0	kg	0,55m*x2
Cev šav.okrugla 60,3 x 1,5 HV	44.5	kg	6x5kom - ulubljene
Cev šav.okrugla 63,5x3,0	1,025.0	kg	6mx31 +2m+5,3m
Cev šav.okrugla 920 x 10	622.5	kg	2,77m
Cev šav.prav. 250x150x6	405.0	kg	6mx2kom
Cev šav.prav. 40x20x1,9 S235	48.0	kg	6mx5
Cev šav.prav. 60x40x2,0	15.0	kg	3 - kriva
Cev šav.prav. 80x40x2 Č.0361	183.5	kg	6mx8kom+1,99m+0,8m+2m+1,31m

**Hamburški lukovi**

Proizvod	Količina	JM	Opis
Hamburški luk fi 108,0x4,0 R-1,5 D 90 P235TR	4.0	kom	4
Hamburški luk fi 114,3x4,0 R-1,5 D 90 P235GH	45.0	kg	45
Hamburški luk fi 114,3x4,0 R-1,5 D 90 P235TR	38.0	kom	38
Hamburški luk fi 114,3x8,8 R-1,5 D 90 P235GH	1.0	kom	1
Hamburški luk fi 139,7x4,5 St35.8	1.0	kom	1
Hamburški luk fi 139,7x6,3 R-1,5 D 30	79.0	kom	79 kom
Hamburški luk fi 139,7x6,3 R-1,5 D 90	38.0	kom	38 kom
Hamburški luk fi 139,7x6,3 R-2 D 90	1.0	kom	1 kom
Hamburški luk fi 152,4x6,3 R-1,5 D 90 St37.0	1.0	kom	1
Hamburški luk fi 159,0x5,0 R-1,5 D 90	3.0	kom	3
Hamburški luk fi 159,0x5,5 R-1,5 D 90	6.0	kom	6
Hamburški luk fi 168,3x4,5 R-1,5 D 90	4.0	kom	4 kom
Hamburški luk fi 168,3x7,1 R-3 D 30	9.0	kom	9 kom
Hamburški luk fi 168,3x8,8 R-1D 180	4.0	kom	4 kom
Hamburški luk fi 21,3x2,3 (1/2") R-1,5 D 90 P	12.0	kom	12 kom
Hamburški luk fi 219,1x15 R-1 D 180	3.0	kom	3 kom
Hamburški luk fi 219,1x15 R-1,5 D 90	4.0	kom	4 kom
Hamburški luk fi 33,7x2,6 R-1,5 D 90 P235T	18.0	kom	18
Hamburški luk fi 33,7x3,2 R-1,5 D 90 P235GH-	1.0	kom	1
Hamburški luk fi 33,7x3,2 R-1,5 D 90 P235TR	22.0	kom	22
Hamburški luk fi 42,4x2,6 R-1,5 D 90 P235TR	22.0	kom	22
Hamburški luk fi 42,4x3,2 R-1,5 D 90 P235TR	64.0	kom	64
Hamburški luk fi 48,3x3,2 P235GH	2.0	kom	2
Hamburški luk fi 48,3x3,68 90 ASTMA	2.0	kom	2
Hamburški luk fi 48,3x3,68 R-1,5 D 90 P265GH	35.0	kom	35
Hamburški luk fi 48,3x4,0 R-1,5 D 90	2.0	kom	2
Hamburški luk fi 508,0x8,0 R-1,5 D 45	1.0	kom	1 kom
Hamburški luk fi 508,0x8,0 R-1,5 D 90	3.0	kom	3 kom
Hamburški luk fi 60,3x2,9 R-1,5 D 90 P235TR1	11.0	kom	11
Hamburški luk fi 60,3x4,0 R-1,0 D 90	1.0	kom	1
Hamburški luk fi 60,3x4,0 R-1,5 D 90 P235GH	9.0	kom	9
Hamburški luk fi 60,3x4,0 R-1,5 D 90 P265GH	35.0	kom	35
Hamburški luk fi 60,3x5,0 R-1,5 D 90	1.0	kom	1
Hamburški luk fi 60,3x8,0 R-3 D 90	3.0	kom	3
Hamburški luk fi 76,1x2,9 R-1,5 D 90 P235TR1	1.0	kom	1
Hamburški luk fi 76,1x3,2 R-1,5 D 180 P235TR	1.0	kom	1 kom
Hamburški luk fi 76,1x3,2 R-1,5 D 90 P235GH	9.0	kom	9
Hamburški luk fi 76,1x4,0 R-1,5 D 90 P265GH	54.0	kom	54
Hamburški luk fi 76,1x4,0 R-2 D 90	1.0	kom	1
Hamburški luk fi 76,1x5,0 R-1,5 D 90	1.0	kom	1
Hamburški luk fi 76,1x5,16 R-1 D 90	3.0	kom	3
Hamburški luk fi 76,1x6,3 R-1,5 D 90 St37.0	15.0	kom	15
Hamburški luk fi 76,1x6,3 R-2D 90	1.0	kom	1 kom
Hamburški luk fi 76,1x9 P235TR	1.0	kom	1 kom
Hamburški luk fi 88,9x4,0 R-1,5 D 90 P265GH	41.0	kom	41

## Limovi

Proizvod	Količina	JM	Opis
Lim HVL 04	384.5	kg	850x2000 x n tabli
Lim HVL 06	23.0	kg	800x2000 x3 tabli
Lim HVL 1 DCO1	43.5	kg	1000x2000x 2 table+1000x1000
Lim HVL 10 Zn mesing	87.0	kg	1000x1000 1tabla
Lim TVL 10 DD11	295.5	kg	
Lim TVL 10 S235JR	564.4	kg	1500x3000+500x470+500x2000+990x1500+245x5
Lim TVL 12 DD11	420.0	kg	1190x1500+700x1800+695x700+185x260
Lim TVL 12 S235JR	893.0	kg	200x200+190x200+500x1000+590x1100+390x300
Lim tvl 14 Č.0453	1,250.0	kg	2740x2000+250x1210+1190x2000+1720x2280+26
Lim tvl 14 Č.1204	118.0	kg	900x1180
Lim TVL 15 S235JR	604.5	kg	480x500+190x650+550x1500+500x860+140x350+
Lim tvl 16 Č.1204	11.0	kg	110x330+110x460
Lim TVL 2,0 S235JR	46.0	kg	1520x1910
Lim TVL 2,5 Č.1731	16.5	kg	820x1000
Lim TVL 20 S235JR	1,350.0	kg	250x270+310x320+370x480+320x730+230x330+2
Lim TVL 25	183.0	kg	230x420+400x500+155x190
Lim TVL 25 S235JR	784.5	kg	400x755+1500x1900+500x1590
Lim TVL 25 S355JR	278.5	kg	310x810+880x1140+140x635+175x100+315x400+
Lim TVL 3,5x1160x6000 S235JR	65.5	kg	1160x3000+komadi
Lim TVL 30 S235JR	1,337.0	kg	180x250+500x580+1500x3000
Lim TVL 40 S235	13.5	kg	restlovi
Lim TVL 4x1500x6000 S235JR	353.5	kg	1500x6000-krive +komadi
Lim TVL 5 S355J2+N	18.5	kg	200x810-2 komada+200x300
Lim TVL 6 DD11	157.5	kg	260x410+160x500+175x190
Lim TVL 6 S235JR	303.0	kg	1500x990+1500x3000
Lim TVL 60 S355J2+N+Z25	1,345.0	kg	310x410+500x930+700x930
Lim TVL 70,0 S355J2+N	202.0	kg	komadi
Lim TVL 8 S235JR	611.0	kg	1500x1000+400x445+260x310+1500x3000

## Profili

Proizvod	Količina	JM	Opis
Profil L 30x30x3 S275	18.0	kg	6mx2+3,7*
Profil L 40x40x4 S275	755.0	kg	(L=6mx5kom +2,58m-krive)+6mx43+0,94m
Profil L 45x45x5	88.0	kg	6mx4+1,4m
Profil L 75x75x8 S275	37.5	kg	2,82m
profil UNP 100 S235JR	196.5	kg	6mx3
Profil UNP 100 S275	50.0	kg	6m+2,5m-savijani
profil UNP 120 S235JR	134.5	kg	6m+3m+1,1m
Profil UNP 65 S235JR	130.0	kg	6,12mx2+2,5m+3m
profil UNP 80 S235JR	265.0	kg	6mx4+2,34m+3,59m

**Šipkasti materijali - Čelici**

<b>Proizvod</b>	<b>Količina</b>	<b>JM</b>	<b>Opis</b>
Čelik kvadratni 12 x 12 Č.1530	148.0	kg	6m x n zardjale i krive
Čelik kvadratni 12 x 12 S235JR	72.0	kg	6mx10
Čelik kvadratni 14 x 14 Č.1530	1,369.5	kg	6m x n zardjale i krive
Čelik kvadratni 20 x 20	364.0	kg	6m x n*
Čelik kvadratni 20 x 20 C45+C	10.0	kg	3m
Čelik kvadratni 4 x 4 C45+C	.6	kg	3m
Čelik kvadratni 40 x 40 C45+C	5.0	kg	0,4m
Čelik kvadratni 40 x 40 S235JR+N	143.5	kg	6m+5,2m
Čelik kvadratni 50 x 50 S235JR+N	53.0	kg	2,66m
Čelik kvadratni 60 x 60 S235JR	160.0	kg	5,5m
Čelik kvadratni 80 x 80 S235	57.5	kg	0,15m*+0,29m+0,74m
Čelik OK 13 C45+C	32.0	kg	3mx8+2,8m
Čelik OK 17 Č.1531.5	28.0	kg	2,5m+3,3mx4
Čelik OK 19 C45+C	76.5	kg	3,1x4+3,01mx5+1,5m+1,83m
Čelik OK 22 C45+C	125.5	kg	0,77m+3mx15+1,35m+0,39m
Čelik OK 24 Č.1731	257.0	kg	3,05m-3,23mx14
Čelik OK 24 Č.4732	162.5	kg	oko 3,8mx8+0,86m
Čelik OK 27 11SMn30+C(3990.5)	34.0	kg	3mx2+1,04m
Čelik OK 27 C45+C	108.0	kg	1,46mx3+2,2m+1m+3mx4
Čelik OK 30 C45+C	33.4	kg	3mx2+0,5m
Čelik OK 32 C45+C	108.0	kg	3mx5
Čelik OK 36 C45+C	164.0	kg	6mx3
Čelik OK 41 CK45 K	691.0	kg	3,02mx17+1,5m+4,39m
Čelik OK 50 Č.1531	172.5	kg	1,39m+1,51mx3+0,63m+1,56m+1,45
Čelik OK 55 C45+C	65.4	kg	0,82m+1.6m
Čelik okrugli fi 10 Č.4731.5	27.0	kg	3mx14
Čelik okrugli fi 10 C45+C	44.8	kg	2m+3m-kriva+3mx24
Čelik okrugli fi 10 S235JR	138.0	kg	6mx32+4m
Čelik okrugli fi 100 Č.4732(42CrMo4)	433.5	kg	0,27m+0,41m+0,68m+6m
Čelik okrugli fi 100 C45	231.0	kg	3m+0,68m
Čelik okrugli fi 11 Č.4146	2,122.5	kg	3 x n
Čelik okrugli fi 110 42CrMo4	271.5	kg	3m+0,59m
Čelik okrugli fi 110 C45	193.5	kg	2,29 m
Čelik okrugli fi 12 C45+C	79.2	kg	3mx28
Čelik okrugli fi 12 S235JR	80.5	kg	6mx14+6m-kriva+2,4m+1,94mx2+1,54m+6,15m
Čelik okrugli fi 120 Č.4732.1(42CrMo4+N)	180.5	kg	1,95m
Čelik okrugli fi 120 C45	402.5	kg	3,01m+1,19m+0,065m
Čelik okrugli fi 130 C45	275.5	kg	1,95m
Čelik okrugli fi 14 C45+C	44.0	kg	L=3mx12
Čelik okrugli fi 14 S235JR	238.5	kg	6mx33
Čelik okrugli fi 140 C45	293.0	kg	2,2m
Čelik okrugli fi 150 C45	265.0	kg	1,95m
Čelik okrugli fi 155 Č.4732	31.0	kg	0,19m
Čelik okrugli fi 16 Č.1212	15.4	kg	3,5mx3-zardjale
Čelik okrugli fi 16 C45	35.0	kg	6mx4
Čelik okrugli fi 16 C45+C	71.7	kg	3,05mx11+2m
Čelik okrugli fi 165 Č.4732	272.5	kg	1,6m

<b>Proizvod</b>	<b>Količina</b>	<b>JM</b>	<b>Opis</b>
Čelik okrugli fi 18 Č.4732	5.0	kg	2,44m-kriva
Čelik okrugli fi 18 C45+C	90.0	kg	3mx13+2m+0,99mx3
Čelik okrugli fi 18 C45E	22.7	kg	6m+1,87m+0,54m+0,79m
Čelik okrugli fi 180 C45	197.0	kg	0,92m
Čelik okrugli fi 20 11SMn30+C(3990.5)	15.5	kg	3mx2
Čelik okrugli fi 20 Č.4732	38.0	kg	2,43m+4,21m+4,07m-zardjale+2mx2
Čelik okrugli fi 20 C45	83.5	kg	6,02mx4+1,8m+1m+1,38m
Čelik okrugli fi 20 C45+C	116.4	kg	3mx15
Čelik okrugli fi 200 42CrMo4	371.0	kg	1,5m
Čelik okrugli fi 200 C45	555.5	kg	0,79m+1,5m
Čelik okrugli fi 22 11SMn30+C(3990.5)	15.5	kg	3m+2m
Čelik okrugli fi 22 16MnCr5	72.0	kg	6mx2+2mx2 - krive i zardjale
Čelik okrugli fi 22 20MnCrS5	151.0	kg	6,26mx9+3,21m+1,8m+1,43m+1,1m
Čelik okrugli fi 22 C45+C	19.5	kg	3mx2+1,45m+1,6m
Čelik okrugli fi 24 Č.4732	120.5	kg	6mx5*+5,57m*
Čelik okrugli fi 25	40.0	kg	2mx6-savijene i narezani navoji
Čelik okrugli fi 25 42CrMo4	69.4	kg	6mx2+1,59m+4m
Čelik okrugli fi 25 Č.1531	4.0	kg	0,98m+0,58m
Čelik okrugli fi 25 C45	77.9	kg	6,03mx3+5,5m+0,27m+1,08m
Čelik okrugli fi 25 C45+C	265.5	kg	3mx17+0,97m+1,16m
Čelik okrugli fi 25 C45+N	35.5	kg	6m+2m
Čelik okrugli fi 26 20MnCrS5	618.0	kg	6,26mx22+1,02m+5,67m+3,77m
Čelik okrugli fi 26 Č.4730*	34.0	kg	6m+2,11m
Čelik okrugli fi 26 Č.4732*	141.0	kg	6,mx4kom+3,55m+2,11m+3,02m-kriva
Čelik okrugli fi 30 42CrMo4	54.7	kg	0,45m+0,49m+6m
Čelik okrugli fi 30 C45+C	271.0	kg	0,415m+0,39m+3,37mx4+2,35m+3mx10
Čelik okrugli fi 30 C45E	142.0	kg	6mx3+0,57m+0,56m+0,19m+0,39m
Čelik okrugli fi 32 C45+C	5.0	kg	0,99m
Čelik okrugli fi 32 C45+N	90.7	kg	6mx2+1,5m
Čelik okrugli fi 32 S235JR	159.0	kg	6mx2+2m+1,5mx7
Čelik okrugli fi 35 42CrMo4	120.8	kg	6m+4,5m+4m
Čelik okrugli fi 35 C45	93.5	kg	5,03m
Čelik okrugli fi 35 C45+N	80.3	kg	6mx2
Čelik okrugli fi 35 C45E+C	474.5	kg	3,08mx13+1,22m+1,06m
Čelik okrugli fi 36 S355JR+C	243.0	kg	3mx10
Čelik okrugli fi 38 Č.1221	1,268.5	kg	4,73m-4,9x23
Čelik okrugli fi 38 Č.3990.5	38.0	kg	2mx2
Čelik okrugli fi 40 42CrMo4	95.5	kg	6,02m+2m+0,47m
Čelik okrugli fi 40 C45	292.0	kg	6mx2+0,46m+3m+1m
Čelik okrugli fi 40 C45+C	122.0	kg	1,2m+0,7m+0,99m+3mx3
Čelik okrugli fi 45 42CrMo4	216.0	kg	6,03mx2+1,5m+2.0m
Čelik okrugli fi 45 C45	108.0	kg	6m+3m
Čelik okrugli fi 45 C45+C	117.0	kg	3m+1,5mx2+0,68m
Čelik okrugli fi 48 Č.1221	289.5	kg	oko 4,5mx4kom+1,89m+1,46m
Čelik okrugli fi 5 S235JR+C	96.0	kg	3mxn
Čelik okrugli fi 50 20MnCrS5	147.0	kg	3,19m+2,69m+1,58m
Čelik okrugli fi 50 42CrMo4	137.5	kg	2,19m+6,06m
Čelik okrugli fi 50 C45	775.0	kg	6,04mx7+4,02m+1m
Čelik okrugli fi 50 C45+C	270.0	kg	3mx5+2,6m



<b>Proizvod</b>	<b>Količina</b>	<b>JM</b>	<b>Opis</b>
Čelik okrugli fi 55 42CrMo4+N	212.0	kg	6m+4,93m
Čelik okrugli fi 55 C45	197.0	kg	1,18m+2,47m+6m
Čelik okrugli fi 55 C45+C	145.0	kg	2,27m+3m+1,5m+1,27m
Čelik okrugli fi 6 Č.0361.5	1.7	kg	3mx7+1,79m+2m
Čelik okrugli fi 6 C45+C	7.0	kg	2,59mx6
Čelik okrugli fi 60 42CrMo4	183.0	kg	1,59m+6m
Čelik okrugli fi 60 C45	342.0	kg	1,38m+6mx2+3m
Čelik okrugli fi 60 C45+C	32.5	kg	1,33m
Čelik okrugli fi 65 42CrMo4	172.5	kg	3m+1,14m+2,05m+1,12m
Čelik okrugli fi 65 C45	442.0	kg	0,35m+6,49m+2,41m
Čelik okrugli fi 70 42CrMo4+N	48.5	kg	1,98m
Čelik okrugli fi 70 C45	90.0	kg	0,43m+1,9m+0,17m+0,4m
Čelik okrugli fi 75 42CrMo4	79.5	kg	2,26m
Čelik okrugli fi 75 C45	197.0	kg	0.15m+6m
Čelik okrugli fi 75 C45+N	210.0	kg	6m
Čelik okrugli fi 8 C45+C	25.0	kg	3mx21
Čelik okrugli fi 8 S235+C	.7	kg	1,5m
Čelik okrugli fi 80 42CrMo4	124.0	kg	3,07m
Čelik okrugli fi 80 C45	519.0	kg	0,21m+6,04m+5,03m
Čelik okrugli fi 80 S235JR	71.5	kg	1,81m
Čelik okrugli fi 80 S355J2	304.0	kg	6,02m+1,61m
Čelik okrugli fi 85 C45	334.0	kg	1,43m+6m
Čelik okrugli fi 90 42CrMo4	185.0	kg	3,62m
Čelik okrugli fi 90 C45	705.5	kg	3,08m+3,6m+6m
Čelik pravougaoni 100 x 10	193.0	kg	6mx3+2,5m
Čelik pravougaoni 100 x 15 S235JR	322.5	kg	6mx4+3,48m
Čelik pravougaoni 120 x 15 S235JR	85.0	kg	1,58m+3,92m
Čelik pravougaoni 40 x 3 S235	36.5	kg	6mx7+4,5m
Čelik pravougaoni 40 x 6 S235	516.0	kg	6mx42+6mx3-kriva
Čelik pravougaoni 40 x 8 S235	119.4	kg	6mx2+3m+1,17mx3+0,39m+0,7m+0,5m+6mx5
Čelik pravougaoni 50 x 10 S235	222.0	kg	6mx9
Čelik pravougaoni 50 x 12 S235JR	231.0	kg	6mx2+6mx6
Čelik pravougaoni 50 x 4	76.5	kg	6mx2+3m+1,7m
Čelik pravougaoni 6 x 60 S275JR+AR	158.0	kg	6mx8+2,5m
Čelik pravougaoni 70 x 6 S235	183.0	kg	6mx8
Čelik pravougaoni 80 x 12 S235	166.0	kg	6,1mx4
Čelik traka 1,0 x 20 DC01AM	5.0	kg	3mx10

**Redukcije i "T" komadi**

<b>Proizvod</b>	<b>Količina</b>	<b>JM</b>	<b>Opis</b>
Eksc.redukcija fi 88,9/ fi 42,4x4	2.0	kom	2 kom
<b>Proizvod</b>	<b>Količina</b>	<b>JM</b>	<b>Opis</b>
Konc.red. fi 88,9x4,5/42,4x4,5	18.0	kom	18 kom
Konc.redukcija 3-2 1/2	1.0	kom	1
Konc.redukcija fi 108x5/fi 76,1x4 P265GH	1.0	kom	1 kom
Konc.redukcija fi 114,3/fi 76,1 P235TR1	2.0	kom	2
Konc.redukcija fi 114,3x6,3/88,9x6,3	1.0	kom	1 kom
Konc.redukcija fi 139,4x4,0/fi 114,3x3,6 P235	1.0	kom	1
Konc.redukcija fi 168,3x4,5/114,3x4,5 P235G	4.0	kom	4kom
Konc.redukcija fi 168,3x5/fi139x5	1.0	kom	1 kom
Konc.redukcija fi 168,3x6,3/139,7x6,3	3.0	kom	3
Konc.redukcija fi 168,3x6,3/76,1x4 P235GH	2.0	kom	2 kom
Konc.redukcija fi 219,1/139,7x6,3	1.0	kom	1 kom
Konc.redukcija fi 219,1x6,3/fi 114,3x6,3	13.0	kom	13 kom
Konc.redukcija fi 219,1x9/159x8 P265GH	2.0	kom	2 kom
Konc.redukcija fi 26,9x2,6/21,3x2,6 P235GH	4.0	kom	4 kom
Konc.redukcija fi 323,9x7,1/fi 219,1x7,1 P235	7.0	kom	7kom
Konc.redukcija fi 33,7x2,6/26,9x2,6 P235GH	2.0	kom	2 kom
Konc.redukcija fi 42,4x2,9/33,7x2,9	4.0	kom	4
Konc.redukcija fi 42,4x3,6/fi 33,7x3,6	10.0	kom	10kom
Konc.redukcija fi 48,3x3,6/26,9x3,6	2.0	kom	2 kom
Konc.redukcija fi 60,3x3,6/33,7x3,6 P235GH	1.0	kom	1
Konc.redukcija fi 60,3x3,6/fi 42,4x3,6	2.0	kom	2kom
Konc.redukcija fi 60,3x5,0/fi 42,4x5,0	12.0	kom	12 kom
Konc.redukcija fi 76,1x5,6/fi 60,3x5,6	6.0	kom	6kom
Konc.redukcija fi 88,9x3,2/fi 76,1x2,9	1.0	kom	1 kom
Konc.redukcija fi 88,9x4,0/fi 57x4,0 P265GH	1.0	kom	1
Konc.redukcija fi 88,9x5,9/fi 60,3x3,91	3.0	kom	3kom
<b>Proizvod</b>	<b>Količina</b>	<b>JM</b>	<b>Opis</b>
T komad 139,7x8	16.0	kom	16
T komad 168,3x4,5/168,3x4,5 P235GH	1.0	kom	1
T komad 168,3x6,3	1.0	kom	1
T komad crni 2 1/2	2.0	kom	2

**Bešavne cevi**

<b>Proizvod</b>	<b>Količina</b>	<b>JM</b>	<b>Opis</b>
Beš.cev 10,0 x 1,0 AlMgSi	167.0	kg	6mxn
Beš.cev 108,0 x 5,0	276.0	kg	0,39+1,21+1,02+5,27+7+4,83
Beš.cev 114,3 x 4,0	20.0	kg	1,82
Beš.cev 114,3 x 7,1	178.5	kg	5,15m+3,88m
Beš.cev 114,3 x 7,5	152.0	kg	7,68m
Beš.cev 114,3 x 9*	667.5	kg	8,19m+10,4m+4,58m+4,23m
Beš.cev 121,0 x 9,0*	139.0	kg	5,58m-cetvrtasta
Beš.cev 127,0 x 7,1	28.0	kg	1,32m
Beš.cev 13,7 x 3,02	1,047.5	kg	6m-6,2mxn
Beš.cev 133 x 4,0	131.0	kg	3,47m+5,98m
Beš.cev 133 x 7	66.0	kg	3,02m
Beš.cev 139,7 x 13,2	39.0	kg	0,95m
Beš.cev 141,0 x 12,0	585.0	kg	6m+9,39m
Beš.cev 141,0 x 12,5	281.5	kg	1,4m+4,78m
Beš.cev 141,0 x 5,0	40.5	kg	1,73m
Beš.cev 141,0 x 8,0	276.5	kg	10,4m
Beš.cev 141,3 x 7,1	99.0	kg	5,16*
Beš.cev 152,0 x 6,3	74.5	kg	2,82m
Beš.cev 152,0 x 7,0	99.0	kg	3,94m
Beš.cev 165,0 x 25,0	281.0	kg	3,25m
Beš.cev 168,3 x 11,0	266.0	kg	3,67m+1,28m+1,07m
Beš.cev 168,3 x 7,1	540.0	kg	L=6mx3kom+0,29m
Beš.cev 177,8 x 12,5	16.5	kg	0,32m
Beš.cev 219,1 x 8,0	999.0	kg	5,05+2,94+8,06m+7,91m-nema atesta
Beš.cev 273,0 x 15,0	680.0	kg	7,11m
Beš.cev 31,8 x 4	1,089.0	kg	6,8mx46+0,8m+0,73mx2+1,28m+0,84mx2+0,7m
Beš.cev 355,6 x 35,71 II A	435.0	kg	1,54m
Beš.cev 40,0 x 5,0 AlMgSi	363.0	kg	5,3mx47+2,02m+4mx2+2,29mx2
Beš.cev 60,0 x 1,5 AlMgSi	341.0	kg	4,5mx69+4,05m
Beš.cev 60,3 x 4,0	9.0	kg	0,6m+1,39m*
Beš.cev 60,3 x 5,5	27.0	kg	2,19+1,4-kriva
Beš.cev 60,3 x 5,6	46.9	kg	5,95m+3,02m
Beš.cev 60,3 x 6,0	48.0	kg	5,95m
Beš.cev 60,3 x 9,0	1,123.5	kg	6,07x14+4,33m+1,41m+3m--zid 9-10
Beš.cev 63,5 x 8,0	43.0	kg	3,05
Beš.cev 63,5 x 9,0	41.0	kg	3,39m-lista se
Beš.cev 76,1 x 3,6*	65.0	kg	5,08m+5,03m
Beš.cev 76,1 x 4,0	42.0	kg	6m-savna
Beš.cev 88,9 x 3,5	164.5	kg	6,07mx2+6m-kriva
Beš.cev 88,9 x 6,3	91.0	kg	0,64m+4,78m-zid 5,5